



# CATALOG 40

JUL 24 1959

# Modern Lighting

THE FRANKELITE COMPANY  
CLEVELAND, OHIO



Digitized by the Internet Archive  
in 2020 with funding from  
Columbia University Libraries

<https://archive.org/details/modernlightingca00fran>

# LIGHTING FIXTURES *of Charm*

*A*


pictorial presentation of Today's lighting fixtures, both residential and commercial—styled, finished and priced to sell. This catalog is a reference book and a sales help. Use it as such.

Behind the fixtures presented in this book is an organization with 29 years' experience in the manufacture of lighting equipment. Its factory covers 75,000 square feet of floor space and is equipped with the most advanced methods of manufacture, making possible large scale production to take care of nation-wide distribution.

It is the desire of the manufacturers of these fixtures to serve you and your customers with a high grade line at the lowest possible price per item—a line highly profitable for dealer and jobber to handle.

JUL 24 1939





751

One Light Bracket

Louvre type with flashed opal glass disk at bottom

4 1/2" Length, 4 3/4" Extension, 9 3/4" Width

Standard Package: 6

Code: Blew

Finish: Gold Tone High-lighted in Rich Gold

Wired and individually packed.

Underwriters Approved.



No. 717-17"



Three Light Drop, 36" Length, 17" Width.

Louvre type with glass diffusing bowl at bottom.

Standard Package: 3.

Code: Bison.

Finish: Gold Tone High-lighted in Gold.

Wired and individually packed.

Underwriters Approved.

No. 718-15"



Three Light Drop, 36" Length, 15" Width.

Louvre type with glass diffusing bowl at bottom.


Standard Package: 3.

Code: Bite.

Finish: Gold Tone High-lighted in Rich Gold.

Wired and individually packed.

Underwriters Approved.



717-17"

718-15"

Bottom turn knob  
switch controls  
1-2-3 Lights.



724

Three Light Ceiling

Louvre type with glass diffusing bowl at bottom

15" Length, 15" Width


Standard Package: 3

Code: Blade

Finish: Gold Tone High-lighted in Rich Gold


Wired and individually packed.

Underwriters Approved.



724

Lighting fixtures that accentuate Today's trend toward simplicity as the keynote of beauty. The graceful lines of these fixtures are emphasized by the light coming from between the louvres and the glass diffusing bowl at the bottom, permitting soft, glareless, downward light.



741

741

One Light Bracket

Equipped with flashed opal bottom disk and  
trimmed with translucent glass buttons


4½" Length, 4¾" Extension, 9½" Width.

Standard Package: 6. Code: Bless.

Finish: New Ivory with Gold Trim.

Wired and individually packed.

Underwriters Approved.



716

Three Light Drop, 36" Length, 17" Width


Equipped with glass diffusing bowl at bottom.

Standard Package: 3. Code: Bisk.

Finish: New Ivory and Gold.

Wired and individually packed.

Underwriters Approved.



716

Bottom turn knob  
switch controls  
1-2-3 Lights.



723



Three Light Ceiling, 12" Length, 16½" Width.


Equipped with glass diffusing bowl at bottom.

Standard Package: 3. Code: Black.

Finish: New Ivory and Gold.


Wired and individually packed.

Underwriters Approved.



723

A new line of fixtures that brings popular semi-indirect lighting within reach of the conservative pocket-book. The design of these units has character and appeal and will add charm to the room in which they are used. The glass buttons which permit light to come through add unusual sparkle and light to these fixtures. The glass diffused bottom permits downward light of high efficiency without any glare.



731

731

One Light Bracket

2 piece louvre construction equipped  
with flashed opal bottom disk.

3½" Length, 4¾" Extension, 10" Width.

Standard Package: 6. Code: Blank.

Finish: New Ivory with Gold Trim.

Wired and individually packed.

Underwriters Approved.



715

Three Light Drop.

2 piece louvre construction equipped  
with glass diffusing bowl at bottom.


36" Length, 15½" Width.

Standard Package: 3. Code: Bird.


Finish: New Ivory and Gold.

Wired and individually packed.

Underwriters Approved.



719



715

Bottom turn knob  
switch controls  
1-2-3 Lights.



719

Three Light Ceiling.

2 piece louvre construction equipped  
with glass diffusing bowl at bottom.

14" Length, 15½" Width.

Standard Package: 3. Code: Blab.


Finish: New Ivory and Gold.

Wired and individually packed.

Underwriters Approved.

A beautiful interpretation of semi-indirect lighting. The two piece louvre construction permits light to be reflected from the lower louvre to the upper louvre and softly filtered through the ornamental, decorative band. The glass diffusing bowl bottom adds proper downward light—soft and glareless. Whether lighted or not, the charm and beauty found in this line of fixtures will find its place in Today's homes.

The **GILMORE** Series



**2233**

Three Light Semi-Ceiling.  
17" Spread, 19" Length.

Standard Package: 3. Code: Genial.  
Finish: New Ivory with details in  
high-lighted Rich Gold.  
Shade: 5½" Ivoglo Glass.  
Wired and individually packed.  
Underwriters Approved.




**2231**

One Light Wall Bracket.  
6" Spread, 11" Length, 7½" Extension.  
Standard Package: 6. Code: Genera.  
Finish: New Ivory with details in  
high-lighted Rich Gold.  
Shade: 5½" Ivoglo Glass.  
Wired and individually packed.  
Underwriters Approved.




**2234**

Three Light Drop, 17" Spread, 36" Length.  
Standard Package: 3. Code: Genius.  
Finish: New Ivory with details in high-lighted Rich Gold.  
Shade: 5½" Ivoglo Glass.  
Wired and individually packed. Underwriters Approved.



**2235**

Five Light Semi-Ceiling, 20" Spread, 19" Length.  
Standard Package: 3. Code: Gentle.  
Finish: New Ivory with details in high-lighted Rich Gold.  
Shade: 5½" Ivoglo Glass.  
Wired and individually packed. Underwriters Approved.




**2236**

Five Light Drop, 20" Spread, 36" Length.  
Standard Package: 3. Code: Gently.  
Finish: New Ivory with details in high-lighted Rich Gold.  
Shade: 5½" Ivoglo Glass.  
Wired and individually packed. Underwriters Approved.




Bottom turn knob  
switch controls 2-3-5  
lights.



771

One Light Bracket—25 to 75 watts.  
6" Spread, 8" Length, 7" Extension.  
Standard Package: 4. Code: Accept.  
Finish: New Ivory with Gold Trim and beautifully  
high-lighted rims.  
Light shines between bottom louvre and bowl.  
Wired and individually packed. Underwriters Approved.



777

Three Light Semi-Ceiling—25 to 75 watts each.  
Standard Package: 3. 14" Spread, 15" Length. Code: Account.  
Finish: New Ivory with Gold Trim and beautifully high-lighted rims.  
Glass bottom provides semi-indirect light.  
Wired and individually packed. Underwriters Approved.



775

Three Light Pendant Drop—25 to 75 watts each.  
14" Spread, 36" Length.  
Standard Package: 3. Code: Accord.  
Finish: New Ivory with Gold Trim and beautifully high-lighted rims.  
Glass bottom provides semi-indirect light.  
Wired and individually packed. Underwriters Approved.



773

Three Light Pendant—25 to 75 watts each.  
Standard Package: 3. 14" Spread, 36" Length. Code: Acclaim.  
Finish: New Ivory with Gold Trim and beautifully high-lighted rims.  
Light shines between bottom louvre and bowl.  
Wired and individually packed. Underwriters Approved.




735

Three Light Ceiling, 18" Length, 14" Width.  
 Standard Package: 3. Code: Blare.  
 Finish: New Ivory and Gold.  
 Trimmed with Crystal glass shaft and bottom knob.  
 Glass bottom provides semi-indirect light.  
 Wired and individually packed. Underwriters Approved.



772


Three Light Semi-Ceiling—25 to 75 watts each.  
 14" Spread, 15" Length.  
 Standard Package: 3. Code: Access.  
 Finish: New Ivory with Gold Trim and beautifully high-lighted rims.  
 Light shines between bottom louvre and bowl.  
 Wired and individually packed. Underwriters Approved.



736


Three Light Drop, 36" Length, 14" Width.  
 Standard Package: 3. Code: Blast.  
 Finish: New Ivory and Gold.  
 Trimmed with Crystal glass shaft and bottom knob.  
 Glass bottom provides semi-indirect light.  
 Wired and individually packed. Underwriters Approved.

*The PURITAN COLONIAL Series*




3131

One Light Bracket, 8½" Length,  
5" Extension.  
Standard Package: 6. Code: Null.  
Finish: Polished Brass.  
Shades: Genuine Cut Glass.  
Wired and individually packed.  
Underwriters Approved.




3134

Three Light Drop, 13" Spread, 36" Length.  
Standard Package: 3. Code: Nurse.  
Finish: Polished Brass.  
Shades: Genuine Cut Glass.  
Wired and individually packed.  
Underwriters Approved.



3136

Five Light Drop, 17" Spread, 36" Length.  
Standard Package: 3. Code: Nurl.  
Finish: Polished Brass.  
Shades: Genuine Cut Glass.  
Wired and individually packed.  
Underwriters Approved.




7022  
Two Light Ceiling, 11" Spread, 5" Length.  
Standard Package: 12. Code: Odor.

Finish: Ivory and Gold.  
Wired and individually packed.  
Underwriters Approved.



3132—12"

Two Light Ceiling, 12" Spread, 5" Length.  
Standard Package: 3. Code: Niece.  
Finish: Colonial Brass.  
Glass Bowl: Frosted.  
Wired and individually packed.  
Underwriters Approved.



3130

One Light Ceiling, 4½" Spread,  
3" Length.  
Standard Package: 12. Code: Nidge.  
Finishes: Polished Brass or Ivory & Gold.  
Wired and individually packed.  
Underwriters Approved.



3139

One Light Drop, 7" Spread, 36" Length.  
Standard Package: 3. Code: Nut.  
Finish: Polished Brass.  
Shade: Genuine Cut Glass.  
Wired and individually packed.  
Underwriters Approved.




*The* **COLONY COLONIAL** *Series*



7023

Three Light Ceiling, 13" Spread, 5" Length.  
Standard Package: 12. Code: Offer.  
Finish: Ivory and Gold.  
Wired and individually packed.  
Underwriters Approved.



7025

Five Light Ceiling, 15" Spread, 5" Length.  
Standard Package: 6. Code: Offset.  
Finish: Ivory and Gold or Brownstone.  
Wired and individually packed.  
Underwriters Approved.



3121

One Light Bracket, 5" Extension,  
8 1/2" Length.  
Standard Package: 6. Code: North.  
Finishes: Polished Brass or Ivory & Gold.  
Shade: Genuine Cut Glass.  
Wired and individually packed.  
Underwriters Approved.




3124

Three Light Drop, 15" Spread, 36" Length.  
Standard Package: 3. Code: Nose.  
Finishes: Polished Brass or Ivory and Gold.  
Shade: Genuine Cut Glass.  
Wired and individually packed.  
Underwriters Approved.



3129

One Light Drop, 7" Spread, 36" Length.  
Standard Package: 3. Code: Nud.  
Finishes: Polished Brass or Ivory and Gold.  
Shade: Genuine Cut Glass.  
Wired and individually packed.  
Underwriters Approved.



3126

Five Light Drop, 19" Spread, 36" Length.  
Standard Package: 3. Code: Note.  
Finishes: Polished Brass or Ivory and Gold.  
Shade: Genuine Cut Glass.  
Wired and individually packed.  
Underwriters Approved.

SPECIFY FINISH DESIRED




5501

One Light Bracket, 5" Spread,  
11½" Length, 6½" Extension.  
Standard Package: 4. Code: Depot.  
Finish: Weathered Brass.  
Shade: Ivory Flash Crystal Chimney.  
Wired and individually packed.  
Underwriters Approved.



5509

One Light Drop, 12" Spread, 36" Length.  
Standard Package: 3. Code: Desert.  
Finish: Weathered Brass.  
Shade: Ivory Flash Crystal Chimney.  
Wired and individually packed.  
Underwriters Approved.



5506

Five Light Drop, 18" Spread, 36" Length.  
Standard Package: 3. Code: Desk.  
Finish: Weathered Brass.  
Shade: Ivory Flash Crystal Chimney.  
Wired and individually packed.  
Underwriters Approved.



5504

Three Light Drop, 15" Spread, 36" Length.  
Standard Package: 3. Code: Depth.  
Finish: Weathered Brass.  
Shade: Ivory Flash Crystal Chimney.  
Wired and individually packed.  
Underwriters Approved.

# The PURITAN Series



6043

6040



6045

6041



6042



610

| Catalog Number | Style                                | Spread Inches    | Length Inches | Extension Inches | Standard Package | Code    |
|----------------|--------------------------------------|------------------|---------------|------------------|------------------|---------|
| 6040           | Beam Light                           | 7 $\frac{1}{2}$  | 5             |                  | 6                | Achieve |
| 6041           | 1 Light Bracket                      | 6                | 5             | 7                | 4                | Ache    |
| 6041-S         | 1 Light Bracket with Textolite Shade | 6                | 5             | 7                | 4                | Aching  |
| 6042           | 2 Light Fixture                      | 12               | 5             |                  | 4                | Acid    |
| 6043           | 3 Light Fixture                      | 12               | 5             |                  | 4                | Acidify |
| 6045           | 5 Light Fixture                      | 14 $\frac{1}{2}$ | 5             |                  | 2                | Acidity |

FINISHES: Ivory and Gold or Maple and Gold, excepting No. 6045 —Maple and Gold only. (Be sure to specify which finish is desired when ordering).  
All fixtures wired and individually packed.  
Underwriters Approved.

## DINETALITES

No. 610

Finish: New Ivory and Gold Trim.

Shade: Parchette neatly decorated.

Length: 42" overall. Diameter of shade: 14".

Standard Package: 3. Code: Dais. Wired.

This Dinetalite is equipped with an inner glass diffuser shaped to conform with Better Light principles, completely enclosed bulb and giving glareless, shadowless light. Designed for use with 150 watt Bulb; other wattages may be used if desired.



1826

1825

1806

| Catalog Number | Style           | Spread Inches | Length Inches | Extension Inches | Standard Package | Code  |
|----------------|-----------------|---------------|---------------|------------------|------------------|-------|
| 1801           | 1 Light Bracket | 5             | 10            | 7½               | 3                | Raw   |
| 1806           | 5 Light Drop    | 19            | 42            |                  | 3                | Raze  |
| 1825           | 3 Light Ceiling | 16            | 12            |                  | 3                | Proto |
| 1826           | 3 Light Drop    | 16            | 36            |                  | 3                | Prove |

FINISH: Chrome and Crystal.  
All fixtures wired and individually packed.  
Underwriters Approved.


ALL CRYSTALS AND FIXTURES MADE IN U. S. A.

*The* CRYSTAL Series




1836

Five Light Drop, 42" Length, 19" Width.  
Standard Package: 3. Code: Final.  
Finish: Chrome and Crystal.  
Trimmed with highly polished crystal parts.  
Wired and individually packed. Underwriters Approved.



1831

One Light Bracket.  
10" Length, 7½" Extension, 5" Width.  
Standard Package: 3. Code: Fife.  
Finish: Chrome and Crystal.  
Trimmed with highly polished  
crystal parts.  
Wired and individually packed.  
Underwriters Approved.



1811

One Light Bracket.  
10" Length, 7½" Extension, 5" Width.  
Standard Package: 3. Code: Field.  
Finish: Chrome and Crystal.  
Trimmed with highly polished crystal parts.  
Wired and individually packed.  
Underwriters Approved.

1800  
One Light Beam Light, 3½" Length, 5½" Width.  
Standard Package: 6. Code: Fib.  
Finish: Chrome and Crystal.  
Trimmed with 5½" Crystal Glass Sunburst.  
Wired and individually packed.  
Underwriters Approved.



1800



1846

Five Light Drop, 42" Length, 19" Width.  
Standard Package: 3. Code: Fig.  
Finish: Chrome and Crystal.  
Trimmed with highly polished crystal parts.  
Wired and individually packed.  
Underwriters Approved.

1811


One Light Bracket.  
10" Length, 7½" Extension, 5" Width.  
Standard Package: 3. Code: Field.  
Finish: Chrome and Crystal.  
Trimmed with highly polished crystal parts.  
Wired and individually packed.  
Underwriters Approved.

ALL GLASS AND METAL PARTS MADE IN U. S. A.



2991

One Light Bracket.  
5" Spread, 8" Length, 8" Extension.  
Standard Package: 6. Code: Need.  
Finishes: New Ivory—Rich Gold high-lighted  
or Plated Bronze—Rich Gold high-lighted.  
Shades: Glass Light Ivory Color.  
Wired and individually packed.  
Underwriters Approved.



2995

Five Light Ceiling.  
20" Spread, 15" Length.  
Standard Package: 3. Code: Nest.  
Finishes: New Ivory—Rich Gold high-lighted or Plated  
Bronze—Rich Gold high-lighted.  
Shades: Glass Light Ivory Color.  
Wired and individually packed.  
Underwriters Approved.



2999

One Light Drop.  
9 1/2" Spread, 36" Length.  
Standard Package: 3. Code: Next.  
Finishes: New Ivory—Rich  
Gold high-lighted or  
Plated Bronze—Rich  
Gold high-lighted.  
Shades: Glass Light Ivory  
color.  
Wired and individually  
packed.  
Underwriters Approved.



2996

Five Light Drop, 20" Spread, 36" Length.  
Standard Package: 3. Code: New.  
Finishes: New Ivory—Rich Gold high-lighted or  
Plated Bronze—Rich Gold high-lighted.  
Shades: Glass Light Ivory Color.  
Wired and individually packed. Underwriters Approved.



2993

Three Light Ceiling, 16" Spread, 15" Length.  
Standard Package: 3. Code: Neon.  
Finishes: New Ivory—Rich Gold high-lighted or  
Plated Bronze—Rich Gold high-lighted.  
Shades: Glass Light Ivory Color.  
Wired and individually packed. Underwriters Approved.

SPECIFY  
FINISH  
DESIRED



2994


Three Light Drop, 16" Spread, 36" Length.  
Standard Package: 3. Code: Nerve.  
Finishes: New Ivory—Rich Gold high-lighted or  
Plated Bronze—Rich Gold high-lighted.  
Shades: Glass Light Ivory Color.  
Wired and individually packed.  
Underwriters Approved.

*The* **EMPIRE** *Series*



**2845**

Five Light Ceiling, 15" Length, 20" Width.  
Standard Package: 3. Code: Know.  
Finish: New Ivory and Gold.  
Glassware: French Crystal Frosted Glass.  
Wired and individually packed. Underwriters Approved.



**2841**

One Light Bracket.  
11" Length, 9" Extension, 5" Width.  
Standard Package: 6. Code: Knob.  
Finish: New Ivory and Gold.  
Glassware: French Crystal Frosted Glass.  
Wired and individually packed.  
Underwriters Approved.



**2846**

Five Light Drop, 36" Length, 20" Width.  
Standard Package: 3. Code: Krone.  
Finish: New Ivory and Gold.  
Glassware: French Crystal Frosted Glass.  
Wired and individually packed. Underwriters Approved.




**2844**

Three Light Drop.  
36" Length, 16" Width.  
Standard Package: 3. Code: Kite.  
Finish: New Ivory and Gold.  
Glassware: French Crystal Frosted Glass.  
Wired and individually packed. Underwriters Approved.




**2843**

Three Light Ceiling.  
15" Length, 16" Width.  
Standard Package: 3. Code: Kind.  
Finish: New Ivory and Gold.  
Glassware: French Crystal Frosted Glass.  
Wired and individually packed. Underwriters Approved.




3401

One Light Bracket.  
9" Length, 6½" Extension, 5" Width.  
Standard Package: 6. Code: Keel.  
Finish: New Ivory and Gold. Glass: Ivory.  
Wired and individually packed.  
Underwriters Approved.



3403

Three Light Ceiling, 14" Length, 15" Width.  
Standard Package: 6. Code: Kelp.  
Finish: New Ivory and Gold. Glass: Ivory.  
Wired and individually packed. Underwriters Approved.




3406

Five Light Drop.  
36" Length, 18" Width.  
Standard Package: 6.  
Finish: New Ivory and Gold.  
Wired and individually packed.  
Code: Kick. Glass: Ivory.  
Underwriters Approved.




3406

Bottom turn  
knob switch  
controls 2-3  
-5 lights.




8070

One Light Dome, 8" Spread, 5½" Length.  
Standard Package: 6. Code: Hemp.  
Finish: Ivory and Gold.  
Glass: Delicate Honey Tint Glass.  
Wired and individually packed.  
Underwriters Approved.



3405


Five Light Ceiling, 15" Length, 18" Width.  
Standard Package: 6. Code: Ken.  
Finish: New Ivory and Gold. Glass: Ivory.  
Wired and individually packed. Underwriters Approved.



3404

Three Light Drop, 36" Length, 15" Width.  
Standard Package: 6. Code: Ketch.  
Finish: New Ivory and Gold. Glass: Ivory.  
Wired and individually packed. Underwriters Approved.

The **DORIC** Series




**3143**

Three Light Ceiling, 15" Spread, 16" Length.  
Standard Package: 3. Code: Nip.  
Finishes: Ivory and Gold or Browntone and Chrome.  
Shade: Ivory Glass.  
Wired and individually packed. Underwriters Approved.




**3141**

One Light Bracket.  
7" Extension, 9" Length.  
Standard Package: 6. Code: Night.  
Finishes: Ivory and Gold or Browntone and Chrome.  
Shade: Ivory Glass.  
Wired and individually packed.  
Underwriters Approved.




**3149**

One Light Drop.  
9" Spread, 36" Length.  
Standard Package: 3. Code: Nix.  
Finishes: Ivory and Gold or Browntone and Chrome.  
Shade: Ivory Glass.  
Wired and individually packed.  
Underwriters Approved.



**3146**

Five Light Drop, 18" Spread, 36" Length.  
Standard Package: 3. Code: Nitro.  
Finishes: Ivory and Gold or Browntone and Chrome.  
Shade: Ivory Glass.  
Wired and individually packed. Underwriters Approved.




**3144**

Three Light Drop, 15" Spread, 36" Length.  
Standard Package: 3. Code: Nit.  
Finishes: Ivory and Gold or Browntone and Chrome.  
Shade: Ivory Glass.  
Wired and individually packed. Underwriters Approved.




**3145**

Five Light Ceiling, 18" Spread, 16" Length.  
Standard Package: 3. Code: Nitre.  
Finishes: Ivory and Gold or Browntone and Chrome.  
Shade: Ivory Glass.  
Wired and individually packed. Underwriters Approved.



3211

One Light Bracket, 4½" Spread,  
10½" Length, 4½" Extension.  
Standard Package: 6. Code: Nob.  
Finish: Antique Bronze.  
Shade: Ivory Glass.  
Wired and individually packed.  
Underwriters Approved.




3219

One Light Drop.  
9½" Spread, 36" Length.  
Standard Package: 3. Code: Oblong.  
Finish: Antique Bronze.  
Shade: Ivory Glass.  
Wired and individually packed.  
Underwriters Approved.



3216

Five Light Drop, 18" Spread, 36" Length.  
Standard Package: 6. Code: Nob.  
Finish: Antique Bronze Shade: Ivory Glass.  
Wired and individually packed.  
Underwriters Approved.




3215

Five Light Ceiling, 18" Spread, 16" Length.  
Standard Package: 6. Code: Noble.  
Finish: Antique Bronze. Shade: Ivory Glass.  
Wired and individually packed.  
Underwriters Approved.



3213

Three Light Ceiling.  
16" Length, 15" Width.  
Standard Package: 3. Code: Negro.  
Finish: Antique Bronze.  
Shade: Ivory Glass.  
Wired and individually packed.  
Underwriters Approved.



3214

Three Light Drop, 36" Length, 15" Width.  
Standard Package: 3. Code: Never.  
Finish: Antique Bronze.  
Shade: Ivory Glass.  
Wired and individually packed.  
Underwriters Approved.

*The MAJESTIC Series*



8051

One Light Bracket, 5½" Spread,  
9½" Length, 7" Extension.  
Standard Package: 6. Code: Helved.  
Finish: Two-tone Bronze—high-lights  
and ornaments—old gold.  
Shades: Delicate Honey Tint Glass.  
Wired and individually packed.  
Underwriters Approved.



2700

One Light Beam.  
5½" Spread, 4" Length.  
Standard Package: 6. Code: Cube.  
Finish: Two-tone Bronze—high-lights  
and ornaments—old gold.  
Wired and individually packed.  
Underwriters Approved.



8056

Five Light Drop, 18" Spread, 36" Length.  
Standard Package: 4. Code: Hem.  
Finish: Two-tone Bronze—high-lights  
and ornaments—old gold.  
Shades: Delicate Honey Tint Glass.  
Wired and individually packed. Underwriters Approved.



8055

Five Light Ceiling, 18" Spread, 18" Length.  
Standard Package: 4. Code: Helving.  
Finish: Two-tone Bronze—high-lights  
and ornaments—old gold.  
Shades: Delicate Honey Tint Glass.  
Wired and individually packed. Underwriters Approved.



8070

One Light Dome, 8" Spread, 5½" Length.  
Standard Package: 6. Code: Hemp.  
Finish: Two-tone Bronze—high-lights  
and ornaments—old gold.  
Shades: Delicate Honey Tint Glass.  
Wired and individually packed.  
Underwriters Approved.





6521

One Light Bracket.  
4" Spread, 11" Length, 6" Extension.  
Standard Package: 12. Code: Badge.  
Finishes: Bronze, antiqued with delicate  
shades of color or Antique Ivory.  
Wired and individually packed.  
Underwriters Approved.



6522

Two Light Bracket.  
10" Spread, 11" Length, 6" Extension.  
Standard Package: 6. Code: Badger.  
Finish: Bronze, antiqued with  
delicate shades of color.  
Wired and individually packed.  
Underwriters Approved.



6526

Five Light Drop, 16" Spread, 36" Length.  
Standard Package: 6. Code: Babel.

Bottom turn switch  
controls 2-3-5 lights  
on 6526 only.


6524

Three Light Drop, 13" Spread, 36" Length.  
Standard Package: 6. Code: Back.  
Finish: Bronze, antiqued with delicate shades of color.  
Wired and individually packed. Underwriters Approved.



6525

Five Light Ceiling, 16" Spread, 11" Length.  
Standard Package: 6. Code: Babe.  
Finish: Bronze, antiqued with  
delicate shades of color.  
Wired and individually packed.  
Underwriters Approved.



6523

Three Light Semi-Ceiling.  
13" Spread, 11" Length.  
Standard Package: 6. Code: Backer.  
Finish: Bronze, antiqued with  
delicate shades of color.  
Wired and individually packed.  
Underwriters Approved.

*The* **MINERVA** *Series*



2702

Two Light Bracket.  
10" Spread, 11" Length, 6" Extension.  
Standard Package: 4. Code: Cuff.  
Finish: Bronze base, entwined with touches of color and antiqued.  
Wired and individually packed.  
Underwriters Approved.



2700

One Light Beam.  
5 1/2" Spread, 3 1/2" Length.  
Standard Package: 6. Code: Cube.  
Finish: Bronze base, entwined with touches of color and antiqued.  
Wired and individually packed.  
Underwriters Approved.



2701

One Light Bracket.  
4" Spread, 11" Length, 6" Extension.  
Standard Package: 6. Code: Cubic.  
Finish: Bronze base, entwined with touches of color and antiqued.  
Wired and individually packed.  
Underwriters Approved.



2732

Two Light Flush Ceiling.  
Standard Package: 6.

13" Spread, 5" Length.  
Code: Curate.

2733

Three Light Flush Ceiling.  
Standard Package: 4.  
Finish: Bronze base, entwined with touches of color and antiqued.  
Wired and individually packed. Underwriters Approved.

13" Spread, 5" Length.  
Code: Current.



2705

Five Light Semi-Ceiling.  
Standard Package: 4.

16" Spread, 10" Length.  
Code: Curic.

2703

Three Light Semi-Ceiling.  
Standard Package: 3.  
Finish: Bronze base, entwined with touches of color and antiqued.  
Wired and individually packed. Underwriters Approved.

13" Spread, 12" Length.  
Code: Cult.

For 5 Light Candle  
specify No. 2707. Code:  
Custom.



2706

Five Light Drop.  
Standard Package: 6.  
Finish: Bronze base, entwined with touches of color and antiqued.  
Wired and individually packed.

16" Spread, 36" Length.  
Code: Curt.  
Finish: Bronze base, entwined with touches of color and antiqued.  
Wired and individually packed. Underwriters Approved.

2704

Three Light Drop.  
Standard Package: 3.  
Finish: Bronze base, entwined with touches of color and antiqued.  
Wired and individually packed.  
Underwriters Approved.

13" Spread, 36" Length.  
Code: Cumber.



707

707 Keyless

707 Pull Chain

One Light Fixture.

Finish: New Ivory and Gold.  
Colors of Glass: Ivory, French Crystal,  
Rose or Green.

Diameter  $10\frac{1}{2}$ ", Length  $10\frac{1}{2}$ ".  
Standard Package: 6. Code: Betide.  
Underwriters Approved.



737

Adapter, 9" Length, 12" Width.  
12" Plastic Translucent Ivory Bowl.  
Standard Package: 6. Code: Bleak.  
Finish: Ivory. Individually packed.



703

One Light Fixture.  
New Ivory and Gold Finish.  
Plastic bowl with metal plate.  
Diameter  $10\frac{1}{2}$ ", Length 12".  
Standard Package: 4. Code: Bewray.  
Wired and individually packed.  
Underwriters Approved.



738

One Light Drop.  
18" Length, 12" Width.  
12" Plastic Translucent Ivory Bowl.  
Standard Package: 4. Code: Blend.  
Finish: Ivory and Gold.  
Wired and individually packed.  
Underwriters Approved.



746

One Light.  
9" Length,  $10\frac{1}{2}$ " Diameter.  
Standard Package: 6. Code: Blob.  
Finish: New Ivory and Gold.  
Colors of Glass: French Crystal,  
Honey, Rose, Green, or Blue Tint.  
Underwriters Approved.

# ROOM Series



745

One Light.  
9" Length, 10½" Diameter.  
Standard Package: 6. Code: Blind.  
Finish: New Ivory and Gold.  
Colors of Glass: French Crystal,  
Honey, Rose, Green, or Blue Tint.  
Underwriters Approved.



7026

7026-10"  
Two Light Ceiling Dish.  
5½" Length, 10" Diameter.  
Standard Package: 6. Code: Often.  
Finish: Fumed Brass.  
Glass: Ivory with floral  
decoration in colors.  
Underwriters Approved.



721

One Light Fixture.  
11" Length, 9½" Diameter.  
Standard Package: 4. Code: Abbey.  
Finish: New Ivory and Gold.  
Louvre Type.  
Underwriters Approved.



730

One Light Fixture.  
7" Length, 9½" Width.  
Standard Package: 6. Code: Blain.  
Finish: Ivory.  
Glass: Ivory, French Crystal,  
Rose or Green.  
Underwriters Approved.



709

One Light Fixture.  
24" Length, 13" Diameter.  
Standard Package: 4. Code: Bestow.  
Finish: New Ivory and Gold.  
Satin Glass Bottom.  
Wired and individually packed.  
Underwriters Approved.



791

One Light Drop.  
18" Length, 12½" Width.  
Standard Package: 6. Code: Block.  
Finish: Ivory and Gold.  
Glass: French Crystal, Ivory,  
Rose or Green.  
Underwriters Approved.



**1013 Keyless**

Two Light Flush Ceiling Fixture.  
12" x 6" Spread, 2½" Length.  
Standard Package: 12. Code: Fay.  
Finish: Ivory Poly.  
Wired and individually packed.  
Underwriters Approved.



**1012**

Two Light Flush Ceiling Fixture.  
12" x 6" Spread, 5½" Length.  
Standard Package: 12. Code: Adrift.  
Finish: Ivory Poly.  
Wired and individually packed.  
Underwriters Approved.



**4072**

One Light Beam Light—Wired or Bare.  
6½" Length, 7½" Width.  
Standard Package: 12.  
Code: Kid—Wired or Bare.  
Finish: New Ivory and Color.  
Individually packed. Underwriters approved.




**7020**

One Light Ceiling Fixture.  
5½" Spread, 3" Length.  
Standard Package: 12. Code: Octave.  
Finishes: Ivory and Gold or Browntone and Gold.  
Wired and individually packed.  
Underwriters Approved.



**4067—2061**

One Light. Standard Package: 12. Code: Rebate.  
Finishes: Browntone or White Enamel.  
Glass: Crystal Etched. Wired.  
Underwriters Approved.



**1022**

1022 Wired Keyless  
Code: Hexa.  
1022 Wired Pull Chain.  
Code: Hick.

Length 33".  
Standard Package: 24.  
Finish: Ivory or Browntone.  
Underwriters Approved



**6051**

One Light Candle Bracket.  
4" Spread, 6" Length,  
4½" Extension.  
Standard Package: 6.  
Code: Harry.  
Finish: Browntone high-lighted  
with Gold.  
Wired with key socket and  
individually packed.  
Underwriters Approved.



**6060**

One Light Drop Bracket.  
4" Spread, 6" Length,  
4½" Extension.  
Standard Package: 6.  
Code: Hatch.  
Finish: Browntone high-lighted  
with Gold.  
Wired with key socket and  
individually packed.  
Underwriters Approved.



**8540**

One Light Beam, 9" Spread, 4½" Length.  
Standard Package: 6. Code: Dab.  
Finishes: Ivory Pastel or Antique Gold.  
Wired and individually packed.  
Underwriters Approved.



**8070**

One Light Dome, 8" Spread, 5½" Length.  
Standard Package: 6. Code: Hemp.  
Finishes: New Ivory and Gold or Antique Bronze.  
Glass: Honey Tint Glass.  
Wired and individually packed.  
Underwriters Approved.



**2700**

One Light Beam, 5½" Spread, 3½" Length.  
Standard Package: 6. Code: Cube.  
Finishes: Ivory, Pastel or Antique Bronze.  
Wired and individually packed.  
Underwriters Approved.

# ROOM Series



785

One Light Fixture.  
 $5\frac{1}{2}$ " Diameter,  $3\frac{1}{2}$ " Length.  
 Standard Package: 36. Code: Wise.  
 Finishes: Brownstone and Gold or Ivory Poly.  
 Equipped with cross-bar.  
 Wired and individually packed.  
 Underwriters Approved.




634

One Light Bracket with Outlet.  
 $8\frac{1}{4}$ " Length, 5" Extension, 4" Width.  
 Standard Package: 6. Code: Level.  
 Finishes: Ivory or Chrome.  
 Wired and individually packed.  
 Underwriters Approved.



6041

One Light Bracket.  
 $5$ " Spread, 5" Length, 6" Extension.  
 Standard Package: 4. Code: Ache.  
 Finish: New Ivory and Gold.  
 Wired and individually packed.  
 Underwriters Approved.



2991

One Light Bracket.  
 $5$ " Spread, 8" Length, 8" Extension.  
 Standard Package: 6. Code: Need.  
 Finishes: Ivory and Gold or Bronze and Gold.  
 Wired and individually packed.  
 Underwriters Approved.



1975

One Light Bracket with Convenience Outlet.  
 $11\frac{1}{2}$ " Spread, 4" Length, 5" Extension.  
 Standard Package: 4. Code: Relay.  
 Finish: Antique Ivory.  
 Wired and individually packed.  
 Underwriters Approved.



6521

One Light Bracket.  
 $4\frac{1}{2}$ " Spread, 11" Length, 6" Extension.  
 Standard Package: 12. Code: Badge.  
 Finishes: Bronze, antiqued with delicate shades of color or Antique Ivory.  
 Wired and individually packed.  
 Underwriters Approved.



4074

One Light Ceiling.  
 $9\frac{1}{2}$ " Spread, 5" Length.  
 Standard Package: 6. Code: Obtain.  
 Finishes: Antique Ivory or Antique Gold.  
 Wired and individually packed.  
 Underwriters Approved.



771

One Light Bracket.  
 $6$ " Spread, 8" Length,  $8\frac{1}{2}$ " Extension.  
 Standard Package: 4. Code: Accept.  
 Finish: New Ivory and Gold.  
 Material: All metal.  
 Wired and individually packed.  
 Underwriters Approved.



783

One Light Bracket.  
 $4\frac{1}{2}$ " Spread, 6" Length, 4" Extension.  
 Standard Package: 4. Code: Bid.  
 Finish: New Ivory and Gold.  
 Wired and individually packed.  
 Underwriters Approved.



634

One Light Bracket with Outlet.  
8 1/4" Length, 5" Extension, 4" Width.  
Standard Package: 6. Code: Level.  
Finish: Chrome.  
Wired and individually packed.  
Underwriters Approved.



687

One Light Ceiling.  
10" Diameter, 5 1/2" Length.  
Standard Package: 6. Code: Ranch.  
Finish: Chrome. Glass, Opal.  
Wired and individually packed.  
Underwriters Approved.



1989

One Light Ceiling  
5 1/2" Spread, 3 1/2" Length.  
Standard Package: 6. Code: Dart.  
Finish: Chrome.  
Wired and individually packed.  
Underwriters Approved.



630

One Light Ceiling.  
4 1/2" Spread, 6" Length.  
Standard Package: 6. Code: Affect.  
Finish: Chrome.  
Wired and individually packed.  
Underwriters Approved.



CHROME CEILING FIXTURE

| No. | Wired | Dia. | Depth  | Std. | Pkg. | Code  |
|-----|-------|------|--------|------|------|-------|
| 683 | 2 lt. | 10"  | 5 1/2" | 6    | 6    | Rake  |
| 684 | 2 lt. | 12"  | 5 1/2" | 6    | 6    | Rally |
| 685 | 3 lt. | 14"  | 6"     | 2    | 2    | Ram   |
| 686 | 3 lt. | 16"  | 6 1/2" | 2    | 2    | Ran   |



620

One Light Ceiling.  
5 1/2" Diameter, 5 1/2" Length.  
Standard Package: 36. Code: Addict.  
Finish: Chrome.  
Wired and individually packed.  
Underwriters Approved.



632

One Light Bracket.  
4 1/2" Spread, 7 1/2" Length, 4 1/2" Extension.  
Standard Package: 6. Code: Age.  
Finish: Chrome. Shade: Opal Glass.  
Wired and individually packed.  
Underwriters Approved.



631

One Light Bracket.  
4 1/2" Diameter, 6" Length, 3 1/2" Extension.  
Standard Package: 6. Code: Aft.  
Finish: Chrome.  
Wired and individually packed.  
Underwriters Approved.



649

One Light Bracket.  
4" Diameter, 7 1/2" Length, 8" Extension.  
Standard Package: 6. Code: Rain.  
Finish: Chrome with Glass.  
Wired and individually packed.  
Underwriters Approved.

# Fixture Series



1965

One Light Bracket with Outlet, Pull Chain.  
 8½" Extension, 5½" Width, 2¼" Fitter.  
 Standard Package: 12.  
 Code: White Enamel—Ray  
 Chrome —Raise.  
 Finishes: White Enamel and Chrome.  
 Wired and individually packed.  
 Underwriters Approved



1993—2511

One Light Bracket, 4½" Spread, 9" Extension.  
 Standard Package: 12. Code: Natty.  
 Finishes: Chrome or White Enamel.  
 Shade: Opal Glass.  
 Wired and individually packed.  
 Underwriters Approved.



1915—2537

One Light Bracket with Outlet, Pull Chain.  
 9" Length, 9" Extension, 4½" Width.  
 Standard Package: 12.  
 Code: Chrome —File  
 White Enamel—Film  
 Finishes: Chrome and White Enamel.  
 Wired and individually packed.  
 Underwriters Approved.



622

3¾" Spread, 7" Length, 7¾" Extension.  
 Standard Package: 6. Code: Adept.  
 Finish: Chrome. Shade: Glass.  
 Wired and individually packed.  
 Underwriters Approved.



1966—18347

One Light Bracket, Pull Chain, Opal Shade.  
 4½" Spread, 8¼" Length.  
 Standard Package: 12.  
 Code: White Enamel—Haggis  
 Chrome —Hail.  
 Wired and individually packed.  
 Underwriters Approved.



614—615

614 no Outlet—615 with Outlet  
 4" Spread, 7½" Length, 8" Extension.  
 Standard Package: 6. Code: Raca.  
 Finish: Chrome. Shade: Opal Glass.  
 Wired and individually packed.  
 Underwriters Approved.  
 615 with Outlet. Same as above. Code: Race.



633

One Light Bracket with Convenience Outlet.  
 8¼" Length, 5" Extension, 4" Width.  
 Standard Package: 6. Code: Leth.  
 Finish: Chrome. Opal Shade.  
 Wired and individually packed.  
 Underwriters Approved.



612

One Light Bracket.  
 4" Spread, 10½" Length, 4½" Extension.  
 Standard Package: 6. Code: Rabib.  
 Finish: Chrome. Shade: Opal Glass.  
 Wired and individually packed.  
 Underwriters Approved.




648

One Light Bracket.  
 4" Spread, 7½" Length, 4" Extension.  
 Standard Package: 6. Code: Rage.  
 Finish: Chrome. Shade: Opal Glass.  
 Wired and individually packed.  
 Underwriters Approved.



604—12"  
608—18"



670—12"  
673—18"


656—12"  
658—18"



660—12"  
663—18"

691—12"  
692—18"

Shield Only



| Catalog Number  | Bulb Size Inches | Length Overall Inches | Width Inches | Finish            | Standard Package | Code   |
|-----------------|------------------|-----------------------|--------------|-------------------|------------------|--------|
| 604 With Outlet | 12               | 13 1/2                | 2 1/2        | Chromium          | 6                | Let    |
| 608 With Outlet | 18               | 19 1/2                | 2 1/2        | Chromium          | 6                | Libel  |
| 656             | 12               | 13 1/2                | 2 1/2        | Chromium          | 12               | Lady   |
| 658             | 18               | 19 1/2                | 2 1/2        | Chromium          | 6                | Lair   |
| 660             | 12               | 13 1/2                | 3 1/2        | Chromium          | 6                | Lame   |
| 663             | 18               | 19 1/2                | 3 1/2        | Chromium          | 6                | Lanky  |
| 670             | 12               | 14 1/2                | 4 1/2        | Polished Aluminum | 6                | Late   |
| 673             | 18               | 19 1/2                | 4 1/2        | Polished Aluminum | 6                | Lavish |
| 691 Shield Only | 12               | 13                    | 2 3/4        | Chromium          | 6                | Law    |
| 692 Shield Only | 18               | 19                    | 2 3/4        | Chromium          | 6                | Lawful |

## SHIELD

No. 691 Shield only 12". No. 692 Shield only 18".

This shows the application of numbers 691—12" and 692—18" Shields.

The Shields are made to clamp on any Lumiline bulbs—specify size when ordering.

603

## Fluorescent Lighting

602

Streamlined style for Modern Lighting—a revolutionary new light source. Tubes are glass that give off a rich, glowing daylight color. There are no filaments in the bulbs and light is given off from the entire surface. The light with many advantages . . . style—daylight—brightness—coolness—color—efficiency and novelty.

603

This bracket conforms to the specifications of the Association of Fleur-O-Lier Manufacturers and carries the certified tag of approval.

Fleur-O-Lier Fluorescent Bracket for 15 Watt Fluorescent Bulb. 19 1/2" Length, 3" Width. Standard Package: 4. Code: Less. Finish: Chrome.

Wired and individually packed. Equipped with G. E. Magnetic Auxiliary.

This bracket conforms to the specifications of the Association of Fleur-O-Lier Manufacturers and carries the certified tag of approval.

Fleur-O-Lier Fluorescent Bracket for 15 Watt Fluorescent Bulb. 19 1/2" Length, 4" Width. Standard Package: 4. Code: Leper. Finish: Chrome.

Wired and individually packed. Equipped with G. E. Magnetic Auxiliary.

# The KITCHEN and BATHROOM Series



1983-2508-W

1983-2508W Keyless One Light Ceiling.  
9" Spread, 9" Length, 4" Fitter.  
Standard Package: 12. Code: Rear.  
Finishes: Chrome or White Enamel.  
Glass: Opal.  
1983-2508W Pull Chain. Same as above.  
Finishes: Chrome or White Enamel.  
Code: Ream.




746-C

746C—One Light.  
9" Length, 10½" Diameter.  
Standard Package: 6. Finish: Chrome.  
Glass: Clear Crystal Polished.  
Wired



1990-918

1990-918 Keyless. One Light Ceiling.  
9" Length, 11" Width, 4" Fitter.  
Standard Package: 12. Code: Fire.  
Finish: Chrome. Wired.  
Metal Band: Chrome, Red or Green.  
Glass: Opal with crystal top and bottom.



3108

One Light Ceiling. Wired, Keyless.  
Opal Glass, 8½" x 4"  
8½" Spread, 10" Length. Standard Package: 12.  
Finishes: White Enamel—Code: Pare.  
Chrome —Code: Hank.  
3108P Wired with Pull Chain. Same as above.  
Finishes: White Enamel—Code: Parent.  
Chrome —Code: Hanker.



3109

One Light Ceiling. Wired, Keyless with 4 ft.  
cord, convenience receptacle and switch.  
Opal shade, 8½" x 4", Spread 8½", Length 10".  
Standard Package: 12.  
Finishes: White Enamel—Code: Hansom.  
Chrome —Code: Hap.



1996

1996 One Light Ceiling.  
10½" Length, 10" Width, 6" Ceiling Plate.  
Standard Package: 3. Code: Filth.  
Finish: Chrome. Glass: 10" Opal Bowl.  
Wired and individually packed.



1990-2508-C

1990-2508C Keyless. One Light Ceiling.  
9" Spread, 9" Length, 4" Fitter.  
Standard Package: 12. Code: Name.  
Finishes: Chrome or White Enamel.  
Glass: Opal with Crystal top and bottom.



1993-2509

1993-2509 Keyless. One Light Ceiling.  
6" Spread, 9" Length, 2½" Fitter.  
Standard Package: 12. Code: Nasty.  
Finishes: Chrome or White Enamel.  
Glass: Opal with Crystal bottom.  
1993-2509 Pull Chain. Same as above.  
Finishes: Chrome or White Enamel.  
Code: Nasal.



1985-2510

1985-2510 Keyless. One Light Ceiling.  
8" Spread, 9½" Length, 4" Fitter.  
Standard Package: 12. Code: Rebus.  
Finishes: Chrome or White Enamel.  
Glass: 8" x 4" Opal with Crystal bottom.  
1985-2510 Pull Chain. Same as above.  
Finishes: Chrome or White Enamel.  
Code: Rebel.

# The KITCHEN and BATHROOM Series



3650



3651—No Outlet  
3655—Outlet



3652



3653



3600



3200—No Outlet  
3205—Outlet



3603

| Catalog Number | Style   | Spread Inches      | Length Inches   | Standard Package | Code    |
|----------------|---|--------------------|-----------------|------------------|---------|
| 3200           | 1-Light Bracket Without Outlet  | 4 $\frac{1}{8}$    | 7 $\frac{1}{4}$ | 12               | Protest |
| 3205           | 1-Light Bracket with Outlet (Same as 3200)                            | 4 $\frac{1}{8}$    | 7 $\frac{1}{4}$ | 12               | Propel  |
| 3600           | Beam Light  | 5                  | 3 $\frac{1}{2}$ | 12               | Pack    |
| 3603           | 1-Light Holder, 4" Fitter, Wired—6 $\frac{1}{4}$ " Diameter           |                    |                 | 12               | Pander  |
| 3610           | 1-Light Bracket with Glass Shade without Outlet                       | 3 $\frac{1}{2}$    | 7               | 12               | Pacify  |
| 3615           | 1-Light Bracket with Glass Shade with Outlet<br>(Same as 3610)        | 3 $\frac{1}{2}$    | 7               | 12               | Packer  |
| 3620           | 1-Light Wall Bracket without Outlet                                   | 3 $\frac{1}{2}$    | 6               | 12               | Pad     |
| 3625           | 1-Light Wall Bracket with Outlet<br>(Same as 3620)                    | 3 $\frac{1}{2}$    | 6               | 12               | Padder  |
| 3630           | 1-Light Wall Bracket with Glass Shade without<br>Outlet               | 3 $\frac{1}{2}$    | 5 $\frac{1}{4}$ | 12               | Pale    |
| 3635           | 1-Light Wall Bracket with Glass Shade with Out-<br>let (Same as 3630) | 3 $\frac{1}{2}$    | 5 $\frac{1}{4}$ | 12               | Paler   |
| 3640           | 1-Light Wall Bracket with Glass Shade without<br>Outlet               | 3 $\frac{1}{2}$    | 5 $\frac{1}{4}$ | 12               | Palm    |
| 3645           | 1-Light Wall Bracket with Glass Shade with Out-<br>let (Same as 3640) | 3 $\frac{1}{2}$    | 5 $\frac{1}{4}$ | 12               | Palmer  |
| 3650           | 1-Light Beam Light  | 6 $\frac{1}{2}$    | 2 $\frac{3}{8}$ | 12               | Paper   |
| 3651           | 1-Light Wall Bracket without Outlet                                   | 4 $\frac{1}{2}$    | 6 $\frac{1}{2}$ | 12               | Par     |
| 3652           | 2-Light Flush Ceiling   | 10x5 $\frac{1}{2}$ | 4 $\frac{3}{4}$ | 12               | Para    |
| 3653           | 3-Light Flush Ceiling   | 10 $\frac{1}{4}$   | 4 $\frac{3}{4}$ | 12               | Parade  |
| 3655           | 1-Light Wall Bracket with Convenience Outlet<br>(Same as 3651)        | 4 $\frac{1}{2}$    | 6 $\frac{1}{2}$ | 12               | Parable |

All fixtures wired and individually packed.



3640—No Outlet  
3645—Outlet



3620—No Outlet  
3625—Outlet




3610—No Outlet  
3615—Outlet



3630—No Outlet  
3635—Outlet

# FLUSH and SEMI-FLUSH LIGHTING




258  
259  
260

## SQUARE

257—1 Light, Flush; Square. Chrome finish. Box size,  $6\frac{1}{2}'' \times 6\frac{1}{2}'' \times 4''$  deep. Frame size,  $8'' \times 8''$ . Standard package: 4. Code: Album.

258—1 Light Flush; Square. Chrome finish. Box size,  $9\frac{1}{2}'' \times 9\frac{1}{2}'' \times 4''$  deep. Frame size,  $11'' \times 11''$ . Standard package: 4. Code: Alder. Wired.



263  
264


263—1 Light, Semi-flush. Chrome finish. Box size,  $6\frac{1}{2}'' \times 6\frac{1}{2}'' \times 4''$  deep. Frame size,  $8'' \times 8'' \times 1\frac{1}{4}''$  extension. Standard package: 4. Code: Alley.

264—1 Light, Semi-flush. Chrome finish. Box size,  $9\frac{1}{2}'' \times 9\frac{1}{2}'' \times 4''$  deep. Frame size,  $11'' \times 11'' \times 1\frac{1}{4}''$  extension. Standard package: 4. Code: Alns. Wired.

## OBLONG

259—1 Light, Flush; Rectangular. Chrome finish. Box size,  $4\frac{1}{2}'' \times 7\frac{1}{4}'' \times 4''$  deep. Frame size,  $6'' \times 9''$ . Standard package: 4. Code: Alert.

260—1 Light, Flush, Rectangular. Chrome finish. Box size,  $7\frac{3}{4}'' \times 10\frac{1}{2}'' \times 4''$  deep. Frame size,  $9'' \times 12''$ . Standard package: 4. Code Alibi. Wired.



261  
262

261—1 Light, Semi-flush. Chrome finish. Box size,  $4\frac{1}{2}'' \times 7\frac{1}{4}'' \times 4''$  deep. Frame size,  $6'' \times 9'' \times 1\frac{1}{4}''$  extension. Standard package: 4. Code: Alike.


262—1 Light, Semi-flush. Chrome finish. Box size,  $7\frac{3}{4}'' \times 10\frac{1}{2}'' \times 4''$  deep. Frame size,  $9'' \times 12'' \times 1\frac{1}{4}''$  extension. Standard package: 4. Code: Allot. Wired.



255  
256

255—1 Light Flush. Chrome finish. Box size,  $6\frac{1}{2}''$  diameter,  $4''$  deep. Frame size,  $7\frac{1}{2}''$  diameter. Standard package: 4. Code: Alar.

256—1 Light Flush. Chrome finish. Box size,  $10\frac{1}{2}''$  diameter,  $4''$  deep. Frame size,  $11\frac{1}{2}''$  diameter. Standard package: 4. Code: Alas. Wired.



205

205—1 Light Flush. Mat Aluminum with Chrome Rim. Box size,  $10\frac{1}{2}''$  diameter. Frame size,  $11\frac{1}{2}''$  diameter. Depth,  $7''$ . Standard package: 4. Code: Annex. Wired.



206

206—1 Light Semi-flush. Mat Aluminum with Chrome Rim. Box size,  $8\frac{1}{4}'' \times 10\frac{1}{2}'' \times 4''$ . Frame size,  $9'' \times 12'' \times 2''$  extension. Standard package: 4. Code: Annoy. Wired.




228



230



229



203

268



286



287

- In selecting outdoor lighting careful consideration must be given to the house style and fixtures should be selected to harmonize.

Outdoor equipment must be durably constructed and of rustproof and weatherproof materials. These are essentials for beauty as well as economy.

**No. 203**—One Light Bracket; Antique Copper finish, 13" Length, 4 $\frac{3}{4}$ " Extension. Standard Package, 4. Code: Angry. Wired and individually packed.

**No. 228**—One Light Bracket; Brush Brass finish; 9 $\frac{1}{2}$ " Length, 6 $\frac{3}{4}$ " Extension, 7" Width. Standard Package, 4. Code: Fern. Wired and individually packed.

**No. 229**—One Light Bracket; Brush Brass finish; 12 $\frac{1}{4}$ " Length, 6" Extension, 7 $\frac{1}{2}$ " Width. Standard Package, 4. Code: Ferry. Wired and individually packed.

**No. 230**—One Light Bracket; Brush Brass finish; 9 $\frac{1}{2}$ " Length, 5" Extension, 6" Width. Standard Package, 4. Code: Fetal. Wired and individually packed.


**No. 250**—One Light Bracket; Rust Resisting Steel—Black and Gold finish; crackle-effect glass. 5 $\frac{3}{4}$ " Spread, 12" Height, 4 $\frac{1}{2}$ " Square Backplate, 7 $\frac{1}{4}$ " Extension. Standard Package, 4. Code: Ahoy. Wired and individually packed.

**No. 251**—One Light Ceiling; Rust Resisting Steel—Black and Gold finish; crackle-effect glass. 5 $\frac{3}{4}$ " Spread, 13" Height, Standard Package, 4. Code: Aid. Wired and individually packed.

**No. 268**—One Light Bracket; Rust Resisting Steel—Black finish; Crackled Crystal glass. Wall plate 4 $\frac{3}{4}$ " x 5"; 8 $\frac{1}{4}$ " Length, 5" Extension. Standard Package, 4. Code: Victor. Wired and individually packed.

**No. 286**—One Light Ceiling; Copper; Antique Copper finish. 5" Spread, 9 $\frac{3}{4}$ " Length. Etched Crystal glass. Standard Package, 4. Code: Rush. Wired and individually packed.

**No. 287**—One Light Bracket; Copper; Antique Copper Finish. 5" Spread, 8 $\frac{1}{2}$ " Length, 5" Extension. Etched Crystal glass. Standard Package, 4. Code: Rust. Wired and individually packed.



251

250

# LANTERNS

The beauty of your home, large or small, can be enhanced by the proper selection of lanterns. This line is complete in style and finish and priced for the moderate purse.



No. 201—One Light Bracket; Antique Copper finish.  $9\frac{1}{4}$ " Length, 6" Extension, 4" Backplate. Standard Package, 4. Code: Anew. Wired and individually packed.

No. 202—One Light Ceiling; Antique Copper finish. 9" Length,  $4\frac{1}{2}$ " Width. Standard Package, 4. Code: Angel. Wired and individually packed.

No. 204—One Light Bracket; Black and Gold finish. 8" Length,  $5\frac{1}{2}$ " Extension. Standard Package, 4. Code: Ankle. Wired and individually packed.

No. 269—One Light Ceiling; Copper; Antique Copper finish. Crackled Crystal glass, 4" Spread,  $9\frac{1}{2}$ " Length. Standard Package, 4. Code: Vigil. Wired and individually packed.

No. 270—One Light Bracket; Copper; Antique Copper finish. Crackled Crystal glass, 4" Spread, 8" Length,  $5\frac{1}{2}$ " Extension. Standard Package, 4. Code: Vile. Wired and individually packed.

No. 275—One Light Ceiling; Copper; Antique Copper finish.  $4\frac{1}{2}$ " Spread,  $11\frac{1}{2}$ " Length. Clear Crystal glass, 4" Diameter, 4" Length. Standard Package, 4. Code: Vim. Wired and individually packed.

No. 276—One Light Bracket; Copper; Antique Copper finish.  $4\frac{1}{2}$ " Spread 10" Length, 6" Extension. Clear Crystal glass, 4" Diameter, 4" Length. Standard Package, 4. Code: Vine. Wired and individually packed.

No. 277—One Light Bracket; Copper, Antique Copper finish.  $4\frac{1}{2}$ " Spread, 10" Length, 6" Extension. Clear Crystal glass, 4" Diameter, 4" Length. Standard Package, 4. Code: Vise. Wired and individually packed.

No. 288—One Light Bracket (No Glass);  $3\frac{1}{4}$ " Fitter. Copper, Antique Copper finish.  $4\frac{3}{4}$ " Spread, 5" Length,  $7\frac{1}{2}$ " Extension. Standard Package, 12. Code: Rustic. Wired and individually packed.

No. 289—One Light Ceiling (No Glass);  $3\frac{1}{4}$ " Fitter. Copper, Antique Copper finish.  $4\frac{1}{2}$ " Spread, 5" Length. Standard Package, 12. Code: Rustle. Wired and individually packed.

275

204


289

288

201

202


See additional outdoor lantern styles and designs on page 34




# OUTDOOR LANTERNS



220




219



221



291



290

No. 219—One Light Bracket; Antique Copper finish. 10" Length, 5" Extension, 6 1/4" Width. Standard Package, 4. Code: Fear. Wired and individually packed.

No. 220—One Light Bracket; Antique Copper finish. 8 1/2" Length, 5" Extension, 4 1/2" Width. Standard Package, 4. Code: Fee. Wired and individually packed.

No. 221—One Light Bracket; Antique Copper finish. 10 1/2" Length, 5 3/4" Extension, 6" Width. Standard Package, 4. Code: Feel. Wired and individually packed.

No. 224—One Light Bracket; Antique Copper finish. 10 1/2" Length, 6" Extension, 4 1/4" Width. Standard Package, 4. Code: Fence. Wired and individually packed.

No. 225—One Light Bracket; 6" Spread, 10" Length, 7" Extension. Standard Package, 4. Code: Feign. Wired and individually packed.

No. 290—Two Light Box; Black finish. 9 1/4" Spread, 4" Length. Crackled Crystal Glass. Box size: 7 1/2" x 7 1/2". Standard Package, 4. Code: Rusty. Wired and individually packed.

No. 291—One Light Bracket (No Glass); 3 1/4" Fitter. Black finish. 4 3/4" Spread, 7" Extension. Standard Package, 4. Code: Ruth. Wired and individually packed.

No. 3085—Iron Surface Exit Sign. Depth, 3"; Face, 6" x 12". Height of letters, 5". Black finish. Standard package, 4. Code: Retreat. Not wired.


No. 3090—Iron Flush Exit Sign. Depth, 3"; Face, 8" x 14". Insert box, 6" x 12". Height of letters, 5". Black finish. Standard Package, 3. Code: Revoke. Not wired.



3090



3085




224



225

# ILLUMINATORS and FLOODLIGHTS



5108 1/2 - 912 - 18''  
5109 1/2 - 910 - 13''

5108 1/2 - 912 - 18''

Commercial Hanger, 36" Length, 18" Width.  
6" Medium Socket.

Standard Package: 12. Code: Half.  
Finish: Chrome or Bronze. Wired and individually packed.

## THE LIGHT CONDITIONER REPLACEMENT UNIT

Here is the answer to your light conditioning problem. You can make a replacement without labor cost by simply using this unit in the same manner as an ordinary commercial glass unit.

| No. | Spread | Fitter | Depth  | Watt Capacity | Standard Package | Code  |
|-----|--------|--------|--------|---------------|------------------|-------|
| 910 | 13"    | 4"     | 7 1/4" | 150           | 4                | Fever |
| 912 | 18"    | 6"     | 8 1/2" | 300           | 4                | Few   |

910-13"  
912-18"

The change-over from your old style lighting fixture to this new, modern efficient light conditioner can be accomplished in the same length of time it takes to change the bulb.



495—Indoor or Outdoor

Floodlight (Less Bulb), 9" Height, 6 1/2" Width.  
Standard Package: 3. Code: Spasm.  
Finish: Etched Bronze.  
Wired and individually packed.  
For use with PAR 38—Bulb.



486—Outdoor

Outdoor Floodlight. Adjustable, weatherproof, for general purpose outdoor floodlighting, made of aluminum. Designed for use with 200 watt bulb. Equipped with stippled crystal lens; rubber covered weatherproof cord. An economical 200 watt unit for lighting parking areas, driveways, roadside stands and small signs. Finished in Red. Standard Package: 3. Code: Sentry.



5109 1/2 - 910 - 13"


Commercial Hanger, 36" Length, 13" Width.  
4" Medium Socket.

Standard Package: 12. Code: Hug.  
Finish: Chrome or Bronze. Wired and individually packed.



485—Indoor

Interior Floodlight. Adjustable, it may be used for ceiling, wall or floor. Made of aluminum, finished in brown. Designed to use 200 watt bulb. Especially desirable for showrooms, window lighting and special purposes where good lighting is desired. Furnished with four color screens: Red, Green, Blue and Amber. Standard Package: 3. Code: Search.



No. 5200—One Light Semi-Indirect; Mat Aluminum and High-light finish; Bowl diameter 18", Length, 36". Satin etched glass bottom. Medium socket for 100 to 300 watts. Standard package: 3. Code: Depot. Wired and individually packed. Underwriters Approved.




No. 5201—One Light Semi-Indirect; Mat Aluminum and High-light finish; Bowl diameter 20", Length 42". Satin etched glass bottom. Mogul socket for 300 to 750 watts. Standard package: 3. Code: Depose. Wired and individually packed. Underwriters Approved.

Note on Fixtures Nos. 5200—5201.

The Bottom Satin Etched Glass is scientifically designed to break up the direct rays of light—to eliminate glare, and the entire fixture is so constructed as to give beautiful illumination, both direct and indirect. Mechanical construction of the above units permits easy cleaning.

5200—18"

5201—20"




5230M—16"

One Light Semi-Indirect.  
Mat Aluminum finish with Polished Rims.  
Diameter 16", Length 36".  
Mogul socket for 300 to 500 watts.

Standard Package: 3. Code: Prow.

Wired and individually packed. Underwriters Approved.  
The light is reflected upward between the louvres, thus  
making a pleasing effect and adding materially to the  
light quality.



5231M—18"

One Light Semi-Indirect. Mat Aluminum finish.  
Sterling Glass Bowl 18" Diameter, 36" Length.  
Mogul socket for 300 to 500 watts.

Standard Package: 3. Code: Ocean.

Wired and individually packed. Underwriters Approved.





5210—15"

5211—20"

**No. 5210**—One Light Semi-Indirect. Mat Aluminum and High-light finish. Bowl diameter 15", Length 36". Opal flash glass bottom. Medium socket for 100 to 300 watts. Standard package: 3. Code: Dense. Wired and individually packed. Underwriters Approved.

**No. 5211**—One Light Semi-Indirect. Mat Aluminum and High-light finish. Bowl diameter 20", Length 42". Opal flash glass bottom. Mogul socket for 300 to 500 watts. Standard package: 3. Code: Dent. Wired and individually packed. Underwriters Approved.



5232M—Mogul

**No. 5232M**—One Light Drop. Mat Aluminum and High-light finish. Bowl diameter 19", Length 42". Mogul socket for 300 to 750 watts. Standard package: 3. Code: Octant. Wired and individually packed. Underwriters Approved.

**No. 5220M**—One Light Semi-Indirect; Mat Aluminum and High-light finish. Bowl diameter 19", Length 39". 9" Opal glass dish. Mogul socket for 300 to 500 watts. Standard package: 3. Code: Guide. Wired and individually packed. Underwriters Approved.


**No. 5221**—One Light: Mat Aluminum and High-light. 15" Diameter, 32" Length. Medium socket for 100 to 300 watts. 9" Opal dish bottom. Standard package: 3. Code: Grunt. Wired and individually packed. Underwriters Approved.

5220M—19"  
Mogul


5221—15"  
Medium




# COMMERCIAL HANGERS and HOLDERS




No. 5114—4"  
No. 5116E—6"  
No. 5116M—6"




No. 5124—4"  
No. 5126E—6"  
No. 5126M—6"



No. 5109½—4"  
No. 5108½E—6"  
No. 5108½M—6"




No. 5109—4"  
No. 5108E—6"  
No. 5108M—6"



No. 5104—4"  
No. 5106E—6"  
No. 5106M—6"



No. 5074—4"  
No. 5076—6"



No. 4064—6"



No. 1985—4"

A group of Chain Hangers and Ceiling Holders, in various styles. Finish and socket size to meet and care for every commercial requirement. All Chain Hangers are furnished in Standard 36" overall length. The Ceiling Holders are designed to harmonize with the Hangers shown on pages 38 and 39.


| Catalog Number | Fitter Size | Socket Size | Length Overall | Standard Package | Finish | Code    |
|----------------|-------------|-------------|----------------|------------------|--------|---------|
| 1985           | 4"          | Medium      | 5              | 36               | Bronze | Glide   |
| 4064           | 6"          | Medium      | 5              | 24               | Chrome | Glide   |
| 5074           | 4"          | Medium      | 6              | 24               | W.E.   | Glide   |
| 5076           | 6"          | Medium      | 6              | 24               | Bronze | Wipe    |
| 5104           | 4"          | Medium      | 36             | 24               | Chrome | Wipe    |
| 5106-E         | 6"          | Medium      | 36             | 24               | Bronze | Grin    |
| 5106-M         | 6"          | Mogul       | 36             | 24               | Chrome | Grind   |
| 5108-E         | 6"          | Medium      | 36             | 24               | Bronze | Grip    |
| 5108-M         | 6"          | Mogul       | 36             | 24               | Chrome | Gripe   |
| 5108½-E        | 6"          | Medium      | 36             | 24               | Bronze | Graze   |
| 5108½-M        | 6"          | Mogul       | 36             | 24               | Chrome | Grease  |
| 5109           | 4"          | Medium      | 36             | 24               | Bronze | Great   |
| 5109½          | 4"          | Medium      | 36             | 24               | Chrome | Grebe   |
| 5114           | 4"          | Medium      | 36             | 12               | Bronze | Greek   |
| 5116-E         | 6"          | Medium      | 36             | 12               | Chrome | Greet   |
| 5116-M         | 6"          | Mogul       | 36             | 12               | Bronze | Knack   |
| 5124           | 4"          | Medium      | 24             | 12               | Chrome | Hockey  |
| 5126-E         | 6"          | Medium      | 24             | 12               | Bronze | Gravy   |
| 5126-M         | 6"          | Mogul       | 24             | 12               | Chrome | Gray    |
|                |             |             |                |                  | Bronze | Knight  |
|                |             |             |                |                  | Chrome | Hocus   |
|                |             |             |                |                  | Bronze | Grew    |
|                |             |             |                |                  | Chrome | Grinde  |
|                |             |             |                |                  | Bronze | Knave   |
|                |             |             |                |                  | Chrome | Hodge   |
|                |             |             |                |                  | Bronze | Kcdak   |
|                |             |             |                |                  | Chrome | Hod     |
|                |             |             |                |                  | Bronze | Granite |
|                |             |             |                |                  | Chrome | Grant   |
|                |             |             |                |                  | Bronze | Grantor |
|                |             |             |                |                  | Chrome | Grape   |
|                |             |             |                |                  | Bronze | Graph   |
|                |             |             |                |                  | Chrome | Grasp   |
|                |             |             |                |                  | Bronze | Grass   |
|                |             |             |                |                  | Chrome | Grate   |
|                |             |             |                |                  | Bronze | Gratis  |
|                |             |             |                |                  | Chrome | Grave   |
|                |             |             |                |                  | Bronze | Gravel  |
|                |             |             |                |                  | Chrome | Graver  |

Hangers can be furnished wired with special sockets and switches for use with the New Mazda 3 Light Lamps. See Price List.

# OFFICE LAMPS



521




521

## FLEUR-C-LIER FLUORESCENT DESK LAMP

for 15 Watt Fluorescent Bulb, 18" Height, 19" Width.  
Standard Package: 3. Code: Sphere.  
Finish: Bank Bronze. Wired and individually packed.

Equipped with G. E. Magnetic Auxiliary.

This lamp conforms to the specifications of the Association of Fleur-O-Lier Manufacturers and carries the certified tag of approval.



400

Universal Deskalite—150 Watt.

Finish: Statuary Bronze.

Shade: Parchette or Metal, 8" x 14".

Diffuser: 8" Unbreakable Textolite.

Universal Adjustments. Individually packed.  
Can furnish either Metal or Parchette shades.

See Price List.

Shade Decoration No. S-40 (Parchette) and MS-40 (Metal).

Code: 400 MS-40 Metal: Vocal

Code: 400 S-40 Parchment: Officer

400



410

Model No. 410—"Concentrator."  
Universal Adjustments (3 way)

Finish: Statuary Bronze.

10" Special Diffuser Lens.

Individually packed.

Code: Optical



410

421

## FLEUR-O-LIER FLUORESCENT DESK LAMP

for 15 Watt Fluorescent Bulb, 18" Height, 19" Width.  
Standard Package: 3. Code: Vow. Finish: Bank Bronze.  
Wired and individually packed.

Equipped with G. E. Magnetic Auxiliary.

This lamp conforms to the specifications of the Association of Fleur-O-Lier Manufacturers and carries the certified tag of approval.



421



406

Lamp No. 406.

Finish: Bronze.

Extreme extension from end of shade to center of shaft—22 $\frac{1}{2}$ ".

Shade: Can be furnished either Metal or Parchette shade. (14" wide, 8 $\frac{1}{4}$ " deep, 8" top).

See Price List

Shade Decoration No. S-40 (Parchette) and MS-40 (Metal).

8" Diffuser. Unbreakable Textolite. Triple action swivel arm. Adjustable to any position.

Code: 406 S-40 Parchment: Void.

Code: 406 MS-40 Metal: Volt.

150 Watt.  
Height: 28".

Note. Nos. 400 and 406 can be furnished with either Metal or Parchette shade. Please specify.

1114 Floor  
1115 Bridge

4149

1122 Floor  
1123 Bridge

1150

1118 Floor  
1119 Bridge

| Lamp No. | Style   | Finish                        | Height | Shade | Standard Package | Code |
|----------|---|-------------------------------|--------|-------|------------------|------|
| 1114     | 6 Way Floor with Genuine Onyx Insert              | Ivory and Gold or Bank Bronze | 62"    | Silk  | 6                | AAA  |
| 1115     | 3 Way Student Bridge (Same Design as 1114)        | Ivory and Gold or Bank Bronze | 58"    | Silk  | 6                | AAB  |
| 1118     | 6 Way Floor with Genuine Onyx Insert              | Ivory and Gold or Bank Bronze | 62"    | Silk  | 6                | AAC  |
| 1119     | 3 Way Student Bridge (Same Design as 1118)        | Ivory and Gold or Bank Bronze | 58"    | Silk  | 6                | AAD  |
| 1122     | 6 Way Floor with Genuine Onyx Insert              | Ivory and Gold or Bank Bronze | 62"    | Silk  | 6                | AAE  |
| 1123     | 3 Way Student Bridge (Same Design as 1122)        | Ivory and Gold or Bank Bronze | 58"    | Silk  | 6                | AAF  |
| 1150     | 3 Way Torchier with 16" Two-tone Ivory Glass Bowl | Ivory and Gold or Bank Bronze | 63"    | Silk  | 2                | AAG  |
| 4149     | 3 Way Torchier, Louvre Type, 13" Reflector        | Bank Bronze                   |        |       |                  |      |
|          |   | Statuary Bronze               | 63"    |       | 2                | AAH  |

Silk Shades can be furnished in Eggshell, Egg or Gold Colors. All Silk Shades white lined—Hand sewed (not glued). Genuine Onyx inserts add to the attractiveness of these beautiful floor lamps.

# LAMPS



1117 Bridge  
1116 Floor

1138 Floor  
1139 Bridge

1125 Bridge  
1124 Floor

1120 Floor  
1121 Bridge

1111 Bridge  
1110 Floor

| Lamp No. | Style                                      | Finish                           | Height | Shade | Standard Package | Code |
|----------|--|----------------------------------|--------|-------|------------------|------|
| 1110     | 6 Way Floor Lamp (Same Design as 1111)     | Ivory and Gold or Antique Bronze | 62"    | Silk  | 6                | AAN  |
| 1111     | Student Bridge, Medium Socket              | Ivory and Gold or Antique Bronze | 58"    | Silk  | 6                | AAM  |
| 1116     | 6 Way Floor Lamp (Same Design as 1117)     | Ivory and Gold or Bank Bronze    | 62"    | Silk  | 6                | AAL  |
| 1117     | 3 Way Student Bridge                       | Ivory and Gold or Bank Bronze    | 58"    | Silk  | 6                | AAK  |
| 1120     | 6 Way Floor Lamp                           | Ivory and Gold or Bank Bronze    | 62"    | Silk  | 6                | AAU  |
| 1121     | 3 Way Student Bridge (Same Design as 1120) | Ivory and Gold or Bank Bronze    | 58"    | Silk  | 6                | AAW  |
| 1124     | 6 Way Floor Lamp (Same Design as 1125)     | Walnut Trimmed with Cadmium      | 62"    | Silk  | 6                | AAQ  |
| 1125     | 3 Way Student Bridge                       | Walnut Trimmed with Cadmium      | 58"    | Silk  | 6                | AAP  |
| 1138     | 6 Way Floor Lamp                           | Ivory and Gold or Bank Bronze    | 62"    | Silk  | 6                | AAR  |
| 1139     | 3 Way Student Bridge (Same Design as 1138) | Ivory and Gold or Bank Bronze    | 58"    | Silk  | 6                | AAT  |

Student Bridge Lamps, excepting No. 1111, are equipped with 3 Way Mogul Socket.

All Silk Shades white lined—Hand sewed (not glued). Silk Shades can be furnished in Eggshell, Beige or Gold Colors.



# I. E. S. CONVERTERS and GLASSWARE



G6



T6



G8

T8



G102

G104



G95



T95



G103


G105

With the introduction of these new I.E.S. bowls and adapters, it is extremely simple and very inexpensive for anyone to improve seeing conditions by converting their old lamps into "Better Light—Better Sight Lamps."


| Catalog Number | Style                                       | Fitter Size | Diameter Inches | Depth Inches | Standard Package | Code    |
|----------------|---|-------------|-----------------|--------------|------------------|---------|
| G-6            | Glassware for Wall Brackets, etc.           | 2 1/4       | 6               | 5            | 12               | Daub    |
| T-6            | Textolite, same shape as G-6                | 2 1/4       | 6               | 5            | 12               | Daunt   |
| G-8            | Glassware for Table Lamps                   | 2 1/4       | 8               | 6            | 6                | Davit   |
| T-8            | Textolite, same shade as G-8                | 2 1/4       | 8               | 6            | 6                | Daw     |
| G-95           | Glassware for Floor and Table Lamps         | 2 5/8       | 9 3/8           | 6            | 6                | Dawn    |
| T-95           | Textolite, same shape as G-95               | 2 5/8       | 9 3/8           | 6            | 6                | Dawning |
| G-102          | Glassware for Floor Lamps                   | 2 1/4       | 10              | 6            | 6                | Deacon  |
| G-103          | Glassware for Floor Lamps                   | 2 5/8       | 10              | 6            | 6                | Deal    |
| G-104          | Glassware for Floor Lamps                   | 3           | 10              | 6            | 6                | Dean    |
| G-105          | Glassware for Dinalites                     | 3           | 10              | 6            | 6                | Debar   |
| 1              | Socket Cover only Punched for Turnob Socket | 2 1/4       |                 |              | 25               | Detail  |
| 2              | Socket Cover only Punched for Turnob Socket | 3           |                 |              | 12               | Detain  |
| 3              | Converter for Table or Floor Study          | 2 1/4       |                 |              | 6                | Dear    |
| 5              | Converter Two-way Mogul Socket              | 3           |                 |              | 6                | Dearly  |
| 6              | Mogul with Three-Branch Candles Converter   | 3           |                 |              | 6                | Deary   |
| 7              | Converter for Bridge Lamp.                  | 2 1/4       |                 |              | 6                | Deuce   |
| 4075A          | Adapter, Chrome or W.E.                     | 4           | 4 1/4           | 3            | 12               | Date    |
| 4075-2280      | Adapter with Glass Chrome or W.E.           | 4           | 8 1/2           | 7            | 6                | Define  |




No. 1




No. 2




No. 3



No. 7



No. 5



No. 6

# CANOPIES, HOLDERS and ADAPTERS




4071

No. 4071.  
Diameter: 5½".  
B. T. and Gold or Ivory and Poly.  
Equipped with cross-bar.  
Standard Package: 36. Code: Timber  
Wired or Bare.



1990

No. 1990—4" Fitter.  
Diameter: 5½".  
Chrome or White Enamel Finish.  
Standard Package: 36. Code: Recall.  
Bare or Wired.



1983

No. 1983—4" Fitter.  
Diameter: 6½".  
Chrome or White Enamel Finish.  
Standard Package: 24. Code: War.  
Wired or Bare.



No. 4070

No. 4070—1 Light.  
Diameter: 5½".  
With or Without Receptacle.  
Brownstone-Gold, Ivory-Poly.  
Equipped with cross-bar.  
Standard Package: 36. Code: Wise.



1985

No. 1985—4" Fitter.  
Diameter: 5½".  
White Enamel, Bronze or  
Chrome Finish.  
Equipped with cross-bar.  
With or without receptacle.  
Standard Package: 36. Code: Glide.



4064

No. 4064—6" Fitter.  
Diameter: 6½".  
Statuary Bronze or Chrome Finish.  
Equipped with cross-bar.  
Bare or Keyless Receptacle.  
Standard Package: 24. Code: Wipe.




4068—4"

4067—3½"

4066—2½"

No. 4066—2½" Fitter.  
No. 4067—3½" Fitter.  
No. 4068—4" Fitter.  
Diameter: 5½" with strap.  
White Enamel or Brownstone.  
Standard Package: 36. Code: Wish.



1964

No. 1964.  
Diameter: 5½".  
Brownstone, Bare or Wired.  
Standard Package: 36. Code: Witty



4136

No. 4136—Adapter.  
Diameter: 4". Rich Gilt or Pompeian  
Standard Package: 100. Code: Wove



1968

No. 1968—Bushed Canopy.  
Diameter: 5½", Depth 2½".  
Brush Brass or Brownstone.  
Standard Package: 100. Code: Wood



1986

No. 1986—4" Fitter  
1 Light.  
Diameter: 5½".  
Equipped with 4 ft.  
Cord and Switch  
with Convenience  
Receptacle.  
White Enamel or  
Chrome.  
Equipped with  
cross-bar.  
Std. Pkg: 36.  
Code: Worm.



1966

No. 1966—2½" Holder.  
Diameter: 4½".  
White Enamel Finish or  
Chromium Plate.  
Standard Package: 36.  
Code: Wit.  
Bare.



1913—½ Hole  
1913—¾ Slip

Diameter: 5½".  
Statuary Bronze Finish.  
Unit Package: 10.  
Standard Package: 100.



1969

Outlet Cover No. 1969  
(less fittings)  
5½" Width.

Standard Package: 36. Code: Find.  
Finishes: Ivory or Brush Brass.  
No. F1969  
(with strap, nipple and knob)  
Standard Pkg.: 25. Code: Finis.



5061

No. 5061—Center Rod Type Bracket  
With or without socket cover.  
2½" Holder.  
Finishes: Brownstone Brush Brass.  
White Enamel or Statuary Bronze.  
No Sockets—Not Wired.  
Standard Package: 60. Code: Work.



337

Cast Iron Porch Ring  
for Receptacle.  
No. 337—3½" Fitter. Black.  
Code: Wolf. Stg. Pkg.: 24.  
No. 338—4" Fitter. Black.  
Code: Wrap.  
No. 4076—6" Fitter. Code: Wort.



1967

No. 1967—4½" Diameter.  
White Enamel and Brownstone.  
Packed 10 to package, 100 to unit.  
Bare or Wired. Code: Word.



A




H



N



B



I



M



E



F



D



L



Q



P

| Illustration | Catalog Number | Style   | Glass                        | Fitter Size | Dia. Inches | Depth Inches | Std. Pkg. | Code    |
|--------------|----------------|---|------------------------------|-------------|-------------|--------------|-----------|---------|
| A            | 2250-W         | Commercial Unit,<br>Chrome Ring Opal Glass    | Optic Crys. Bottom           | 6           | 9           | 12 1/2       | 12        | Gossip  |
| B            | 2537           | Half-Hand                                     | Opal                         | 2 1/4       |             |              | 24        | Punt    |
| C            | 2510           | Kitchen                                       | Opal Crys. Bottom            | 4           | 8           | 7 1/2        | 12        | Public  |
| D            | 2280           | Kitchen Unit                                  | Luminex                      | 4           | 8 3/4       | 6            | 12        | Sieve   |
| E            | 2290           | Kitchen or Commercial Unit                    | Luminex                      | 4           | 9           | 6 1/4        | 12        | Sign    |
| E            | 2291           | Kitchen or Commercial Unit                    | Luminex                      | 4           | 10          | 6 1/2        | 4         | Sight   |
| E            | 2292           | Commercial Unit                               | Luminex                      | 6           | 11 1/2      | 7 3/4        | 5         | Silo    |
| E            | 2294           | Commercial Unit                               | Luminex                      | 6           | 13 1/2      | 8 3/4        | 2         | Siren   |
| F            | 2296           | Commercial Unit                               | Luminex                      | 6           | 15 1/2      | 10           | 2         | Slab    |
| F            | 2090           | Kitchen Unit                                  | Luminex                      | 4           | 8 3/4       | 5 1/2        | 12        | Shore   |
| F            | 2092           | Commercial Unit                               | Luminex                      | 6           | 12          | 7 1/4        | 4         | Shout   |
| F            | 2094           | Commercial Unit                               | Luminex                      | 6           | 13 1/2      | 8            | 2         | Shoed   |
| H            | 918            | 1 Light Ceiling, Chrome, Red<br>or Green Band | Opal Crys. Top and<br>Bottom | 4           | 11          |              | 12        | Blood   |
| I            | 2061           | Lantern Globe                                 | Amber or Crystal<br>Etched   | 3 1/4       | 6           | 6 1/2        | 24        | Gondola |
| L            | 2026           | Mission Bell                                  | Opal                         | 2 1/4       | 6           | 4 1/2        | 24        | Saber   |
| L            | 2027           | Mission Bell                                  | Opal                         | 2 1/4       | 7           | 5 1/2        | 24        | Sack    |
| M            | 18347          | Half-Hand Shade                               | Opal                         | 2 1/4       |             |              | 24        | Spark   |
| N            | 17             | Reflector                                     | Opal                         | 2 1/4       | 7           | 3 1/4        | 36        | Scarp   |
| N            | 19             | Reflector                                     | Opal                         | 2 1/4       | 9           | 3 1/2        | 24        | Scene   |
| N            | 11             | Reflector                                     | Opal                         | 2 1/4       | 11          | 4            | 12        | Scare   |
| P            | 471-D-222      | Shade   | Dec. Pink, Blue or Yellow    | 2 1/4       | 6           | Asst.        | 36        | Screen  |
| Q            | 2509           | Ball  | Opal Crys. Bottom            | 2 1/4       | 6 3/8       | 6            | 12        | Pshaw   |

# GLASSWARE



X




G



W



C



O



K




R

| Illustration | Catalog Number | Style           | Glass                     | Fitter Size | Dia. Inches | Depth Inches | Std. Pkg. | Code   |
|--------------|----------------|-----------------|---------------------------|-------------|-------------|--------------|-----------|--------|
| C            | 2511           | Half-Hand       | Opal                      | 2 1/4       |             |              | 24        | Puff   |
| G            | 2110           | Commercial Unit | Luminex                   | 4           | 10          | 9            | 4         | Wrath  |
| G            | 2112           | Commercial Unit | Luminex                   | 6           | 12          | 11           | 4         | Wreck  |
| G            | 2114           | Commercial Unit | Luminex                   | 6           | 14          | 13           | 2         | Wren   |
| G            | 2116           | Commercial Unit | Luminex                   | 6           | 16          | 15           | 2         | Wring  |
| K            | 2006           | Ball            | Opal                      | 3 1/4       | 6           | 6 1/2        | 12        | Saddle |
| K            | 2007           | Ball            | Opal                      | 3 1/4       | 7           | 7 1/2        | 12        | Graft  |
| K            | 2008           | Ball            | Opal                      | 4           | 8           | 8 1/2        | 12        | Hokum  |
| K            | 2012           | Ball            | Opal                      | 6           | 12          | 12 1/2       | 2         | Hole   |
| K            | 2014           | Ball            | Opal                      | 6           | 14          | 12 1/2       | 2         | Holly  |
| K            | 2016           | Ball            | Opal                      | 6           | 16          | 16 1/2       | 2         | Hurt   |
| K            | 2016A          | Ball            | Opal                      | 8           | 16          | 16 1/2       | 2         | Hurts  |
| O            | 2062           | Lantern Globe   | Crystal Rough Inside      | 3 1/4       | 6           | 7            | 24        | Gone   |
| O            | 2052-BL        | Lantern Globe   | C.R.I. Black Lined        | 3 1/4       | 6           | 7            | 24        | Goner  |
| R            | 2508-C         | Kitchen         | Opal Crys. Top and Bottom | 4           | 8 3/4       | 7 1/2        | 12        | Prude  |
| S            | 514            | Bowl            | Satin embossed            |             | 12          | 10           | 4         | Shame  |
| S            | 516            | Bowl            | Satin embossed            |             | 16          | 14           | 6         | Snore  |
| T            | T-4            | 1-Light Shade   | Textolite (Unbreakable)   |             | 4 1/2       | 3 3/4        | 12        | Grade  |
| U            | 2508-W         | Kitchen         | Opal                      | 4           | 8 3/4       | 7 1/4        | 12        | Pry    |
| W            | 2512           | Commercial      | Opal with Chrome Bands    | 6           | 12          | 11           | 4         | Pug    |
| W            | 2514           | Commercial      | Opal with Chrome Bands    | 6           | 14          | 13           | 2         | Pulp   |
| W            | 2516           | Commercial      | Opal with Chrome Bands    | 6           | 16          | 15           | 2         | Pulse  |
| X            | 2532           | Commercial      | Opal                      | 6           | 12          | 10 1/2       | 2         | Pump   |
| X            | 2534           | Commercial      | Opal                      | 6           | 14          | 12 1/2       | 2         | Pun    |
| X            | 2536           | Commercial      | Opal                      | 6           | 16          | 14 1/2       | 2         | Pung   |
| X            | 2539           | Commercial      | Opal                      | 4           | 8 1/2       | 7 1/4        | 12        | Pure   |
| Y            | 2506-C         | Kitchen         | Opal Crys. Top and Bottom | 4           | 6           | 6            | 12        | Prowl  |
| Z            | 2506-W         | Kitchen         | Opal                      | 4           | 6           | 6            | 12        | Proxy  |



S



T



Z



U



X

*The* **PORTABLE WALL LAMP** *Series*



502

7½" Length, 9" Extension.  
7" Width. Shade: 7" Parchment.  
Standard Package: 6. Code: Spice.  
Finishes: Ivory, Green, Red or Bronze.  
Wired.



526

14" Height. 10" Extension.  
Wood Base and Aluminum Arm.  
Finishes: Blond Maple and Ivory or  
Walnut and Statuary Bronze.  
Shade: 8" Parchment.  
Standard Package: 6. Code: Skit.  
Wired and individually packed



506

12½" Length, 9" Extension.  
8" Width. Shade: 8" Parchment.  
Standard Package: 6. Code: Spike.  
Finish: Shaded Ivory and Gold.  
Wired and individually packed.  
Can be used as Walite or Desklite.



519

16" Length, 9½" Extension.  
Shade: 9" Parchment.  
Standard Package: 6. Code: AAX.  
Finishes: Ivory, Ivory and Red or  
Ivory and Green.  
Wired and individually packed.



516

10½" Length, 10" Extension.  
7" Width. Shade: 7" Parchment.  
Standard Package: 6. Code: Sped.  
Finishes: Shaded Ivory or Rose.  
Wired and individually packed.




510

12" Length, 10" Extension.  
8" Width. Shade: 8" Parchment.  
Standard Package: 6. Code: Specie.  
Finishes: Shaded Ivory or Bronze.  
Wired and individually packed.



560

14½" Length, 11¼" Extension.  
10½" Width.  
Diffusing Bowl: 6" Textolite.  
Standard Package: 6. Code: Spell.  
Finish: Shaded Ivory.  
Wired and individually packed.



580

16" Length, 10" Width.  
6" Textolite Diffusing Bowl.  
Standard Package: 6. Code: Spend.  
Finishes: Statuary Bronze or Ivory and  
Green Trim.  
Wired and individually packed.



556

15½" Length, 11" Extension.  
10½" Width.  
Diffusing Bowl: 6" Textolite.  
Shade: 10½" Parchment.  
Standard Package: 6. Code: Speak.  
Finish: Shaded Ivory.  
Wired and individually packed.

# PRICE LIST CATALOG No. 40

Prices Subject to Change Without Notice. All Prices Quoted  
F. O. B. Factory. For Telegraphic Code Words See Catalog.



| No. | Finish | Page | List  | No.  | Finish     | Page  | List  | No.             | Finish | Page | List  | No.        | Finish       | Page  | List |
|-----|--------|------|-------|------|------------|-------|-------|-----------------|--------|------|-------|------------|--------------|-------|------|
| 1   |        | 42   | .33   | 604  |            | 28    | 2.70  | 1117            |        | 41   | 17.25 | 1985       | Stat. Bronze |       |      |
| 2   |        | 42   | .54   | 608  |            | 28    | 4.05  | 1118            |        | 40   | 20.25 |            | Bare         | 38-43 | .57  |
| 3   |        | 42   | 1.53  | 610  |            | 11    | 9.30  | 1119            |        | 40   | 20.25 | 1985       | Stat. Bronze |       |      |
| 5   |        | 42   | 2.40  | 612  |            | 27    | 4.80  | 1120            |        | 41   | 18.00 |            | Keyless      | 38-43 | .75  |
| 6   |        | 42   | 4.95  | 614  |            | 27    | 3.75  | 1121            |        | 41   | 18.00 | 1985       | Stat. Bronze |       |      |
| 7   |        | 42   | 3.75  | 615  | Chrome     | 27    | 4.05  | 1122            |        | 40   | 32.25 |            | Pull Ch.     | 38-43 | .96  |
| 201 |        | 33   | 3.30  | 620  | Wired      | 26    | .99   | 1123            |        | 40   | 32.25 | 1985       | Chr. Bare    | 38-43 | .78  |
| 202 |        | 33   | 3.30  | 622  |            | 27    | 4.20  | 1124            |        | 41   | 20.25 | 1985       | Chrome       |       |      |
| 203 |        | 32   | 3.30  | 630  |            | 26    | 2.10  | 1125            |        | 41   | 18.00 |            | Keyless      | 38-43 | .96  |
| 204 |        | 33   | 3.75  | 631  |            | 26    | 2.40  | 1138            |        | 41   | 18.00 | 1985       | Chrome       |       |      |
| 205 |        | 31   | 6.60  | 632  |            | 26    | 3.75  | 1139            |        | 41   | 18.00 |            | Pull Ch.     | 38-43 | 1.17 |
| 206 |        | 31   | 7.80  | 633  |            | 27    | 4.20  | 1150            |        | 40   | 22.50 | 1985-2510  | Chr.         |       |      |
| 219 |        | 34   | 5.40  | 634  |            | 26-25 | 3.45  | 1800            |        | 13   | 2.40  |            | Keyless      | 29    | 2.58 |
| 220 |        | 34   | 5.40  | 648  |            | 27    | 3.90  | 1806            |        | 12   | 29.25 | 1985-2510  | W. E.        |       |      |
| 221 |        | 34   | 5.25  | 649  |            | 26    | 3.75  | 1811            |        | 13   | 5.10  |            | Pull Chain   | 29    | 2.58 |
| 224 |        | 34   | 3.90  | 656  |            | 28    | 2.40  | 1825            |        | 12   | 24.75 | 1985-2510  | W. E.        |       |      |
| 225 |        | 34   | 4.35  | 658  |            | 28    | 3.30  | 1826            |        | 12   | 25.50 |            | Keyless      | 29    | 2.49 |
| 228 |        | 32   | 6.60  | 660  |            | 28    | 3.00  | 1831            |        | 13   | 5.55  | 1985-2510  | Chr.         |       |      |
| 229 |        | 32   | 7.20  | 663  |            | 28    | 3.75  | 1836            |        | 13   | 25.50 |            | Pull Chain   | 29    | 2.88 |
| 230 |        | 32   | 6.15  | 673  |            | 28    | 5.55  | 1846            |        | 13   | 22.50 | 1986       | W. E.        |       |      |
| 250 |        | 32   | 4.50  | 673  |            | 28    | 6.45  | 1913-1/8 H      |        | 43   | .36   |            | Wired        | 43    | 1.98 |
| 255 |        | 31   | 6.00  | 683  |            | 26    | 4.65  | 1913-3/4 Slip   |        | 43   | .39   | 1986       | Chrome       |       |      |
| 256 |        | 31   | 7.50  | 684  |            | 26    | 6.30  | 1915 Chrome     |        |      |       |            | Wired        | 43    | 2.28 |
| 257 |        | 31   | 4.20  | 685  |            | 26    | 8.70  | Bare            |        | 43   | .90   | 1989       | Chrome       |       |      |
| 258 |        | 31   | 6.45  | 686  |            | 26    | 10.80 | 1915 W. E. Bare |        | 43   | .72   |            | Wired        | 26    | 2.13 |
| 259 |        | 31   | 5.10  | 691  |            | 26    | 4.05  | 1915 Chr. Wired |        |      |       | 1990       | W. E. Bare   | 43    | .51  |
| 260 |        | 31   | 7.20  | 692  |            | 28    | 2.10  | Pull Chain      |        | 43   | 1.41  | 1990       | Chr. Bare    | 43    | .75  |
| 261 |        | 31   | 6.90  | 703  |            | 28    | 2.70  | 1915 W. E. Wrd. |        |      |       | 1990       | W. E.        |       |      |
| 262 |        | 31   | 8.10  | 707  | Pull Chain | 22    | 4.35  | Pull Chain      |        | 43   | 1.20  |            | Keyless      | 43    | .72  |
| 263 |        | 31   | 7.50  | 715  |            | 4     | 3.45  | 1915-2537 W. E. |        | 27   | 2.25  | 1990       | Chrome       |       |      |
| 264 |        | 31   | 8.70  | 716  |            | 3     | 18.75 | 1915-2537 Chr.  |        | 27   | 2.55  |            | Keyless      | 43    | .96  |
| 268 |        | 32   | 2.85  | 717  |            | 2     | 16.80 | 1964 Bare       |        | 43   | .18   | 1990-2506C | W.           |       |      |
| 269 |        | 33   | 3.75  | 718  |            | 2     | 19.50 | 1964 Wired      |        | 43   | .39   |            | W. E.        | 43    | 1.02 |
| 270 |        | 33   | 3.75  | 719  |            | 4     | 17.40 | 1965 W. E.      |        | 27   | 2.25  | 1990       | Chrome       |       |      |
| 275 |        | 33   | 4.50  | 721  |            | 23    | 5.55  | 1965 Chrome     |        | 27   | 2.55  |            | Pull Chain   | 43    | 1.26 |
| 276 |        | 33   | 4.50  | 723  |            | 3     | 14.85 | 1966 W. E. Bare |        | 43   | .39   | 1990-918   |              | 3.75  |      |
| 277 |        | 33   | 4.50  | 724  |            | 2     | 16.50 | 1966 W. E. Wrd. |        | 27   | .60   | 1990-2506C | W. E.        |       |      |
| 286 |        | 32   | 4.65  | 730  |            | 23    | 2.10  | 1966 Chr. Wrd.  |        |      |       |            | Keyless      | 29    | 1.89 |
| 287 |        | 32   | 4.65  | 731  |            | 4     | 6.75  | 1966-18347      |        |      |       | 1990-2506C | W. E.        |       |      |
| 288 |        | 33   | 2.25  | 732  |            | 7     | 11.25 | W. E. Wrd.      |        | 27   | .90   |            | Keyless      | 29    | 2.16 |
| 289 |        | 33   | 2.25  | 733  |            | 7     | 11.85 | 1966-18347      |        |      |       | 1990-2508C | W. E.        |       |      |
| 290 |        | 34   | 4.65  | 737  |            | 22    | 4.05  | Chr. Wrd.       |        | 27   | 1.83  |            | Keyless      | 29    | 2.40 |
| 291 |        | 34   | 2.10  | 738  |            | 22    | 5.25  | 1967 Bare       |        | 43   | .18   | 1990-2508C | W. E.        |       |      |
| 337 |        | 43   | .48   | 741  |            | 3     | 6.00  | 1967 Wired      |        | 43   | .39   |            | Pull Chain   | 29    | 2.70 |
| 338 |        | 43   | .69   | 745  | Pull Chain | 23    | 3.00  | 1968            |        | 43   | .18   | 1990-2508C | Chr.         |       |      |
| 400 | S-40   |      | 12.00 | 746  | Pull Chain | 22    | 2.85  | 1969            |        | 43   | .21   |            | Keyless      | 29    | 2.70 |
| 400 | MS-40  |      | 15.00 | 746C | Chrome     | 29    | 3.30  | 1969F           |        | 43   | .36   | 1990-2508C | Chr.         |       |      |
| 406 | S-40   |      | 16.80 | 751  |            | 2     | 7.50  | 1975            |        | 25   | 2.70  |            | W. E.        | 29    | 2.97 |
| 406 | MS-40  |      | 19.80 | 771  |            | 6-25  | 4.50  | 1983 W. E. Bare |        | 43   | .63   | 1993       | Chr. Bare    | 43    | .60  |
| 410 |        | 39   | 13.95 | 772  |            | 7     | 10.05 | 1983 Chr. Bare  |        | 43   | .96   | 1993       | W. E. Bare   | 43    | .42  |
| 421 |        | 39   | 26.85 | 773  |            | 6     | 10.80 | 1983 W. E. Key- |        | 43   | .84   | 1993       | Chrome       |       |      |
| 485 |        | 35   | 4.95  | 775  |            | 6     | 10.50 | less            |        |      |       |            | Keyless      | 43    | .81  |
| 486 |        | 35   | 6.00  | 791  |            | 6     | 9.75  | 1983 Chrome     |        |      |       | 1993       | W. E. Key-   |       |      |
| 495 |        | 35   | 2.70  | 910  |            | 35    | 4.20  | Keyless         |        | 43   | 1.17  |            | less         | 43    | .63  |
| 502 |        | 46   | 1.14  | 912  |            | 35    | 3.30  | 1983 W. E. Pull |        | 43   | 1.05  | 1993       | Chrome       |       |      |
| 506 |        | 46   | 2.85  | 1012 |            | 24    | 4.80  | Chain           |        | 43   | 1.38  |            | Pull Chain   | 43    | 1.11 |
| 510 |        | 46   | 2.85  | 1012 | Pull Chain | 24    | 1.20  | 1983 Chrome     |        |      |       | 1993       | W. E.        |       |      |
| 516 |        | 46   | 2.55  | 1013 |            | 24    | 1.02  | Pull Chain      |        |      |       |            | Pull Chain   | 43    | .93  |
| 519 |        | 46   | 2.55  | 1013 | Pull Chain | 24    | 1.62  | 1983-2508W W.   |        |      |       | 1993-2509  | W. E.        |       |      |
| 521 |        | 39   | 24.75 | 1022 |            | 24    | 1.44  | E. Keyless      |        | 29   | 2.10  |            | Keyless      | 29    | 2.40 |
| 526 |        | 46   | 2.40  | 1022 | Pull Chain | 24    | 1.62  | 1983-2508W Chr. |        |      |       | 1993-2509  | Chr.         |       |      |
| 556 |        | 46   | 4.50  | 1110 |            | 41    | 12.75 | Keyless         |        | 29   | 2.43  |            | Keyless      | 29    | 2.61 |
| 560 |        | 46   | 3.90  | 1111 |            | 41    | 12.75 | 1983-2508W W.   |        |      |       | 1993-2509  | W. E.        |       |      |
| 580 |        | 46   | 2.85  | 1114 |            | 40    | 17.25 | E. Pull ch.     |        | 29   | 2.40  |            | Keyless      | 29    | 2.70 |
| 602 |        | 28   | 14.85 | 1115 |            | 40    | 17.25 | 1983-2508W Chr. |        |      |       | 1993-2509  | W. E.        |       |      |
| 603 |        | 28   | 14.85 | 1116 |            | 41    | 17.25 | Pull Chain      |        | 29   | 2.73  |            | Pull Chain   | 29    | 2.91 |
|     |        |      |       |      |            |       |       | 1985 W. E. Bare | 38-43  |      | .45   | 1993-2511  | W. E.        |       |      |
|     |        |      |       |      | </         |       |       |                 |        |      |       |            |              |       |      |

# PRICE LIST CATALOG No. 40

Prices Subject to Change Without Notice. All Prices Quoted  
F. O. B. Factory. For Telegraphic Code Words See Catalog.

| No.  | Finish         | Page  | List  | No.       | Finish          | Page  | List  | No.       | Finish | Page | List | GLASSWARE |        | List<br>Per<br>Doz. |        |
|------|----------------|-------|-------|-----------|-----------------|-------|-------|-----------|--------|------|------|-----------|--------|---------------------|--------|
|      |                |       |       |           |                 |       |       |           |        |      |      | No.       | Finish | Page                |        |
| 1996 | Chrome         | 29    | 5.70  | 3615      |                 | 30    | 2.55  | 5076      | Chrome |      |      | T-4       |        | 45                  | 9.00   |
| 2231 |                | 5     | 4.50  | 3620      |                 | 30    | 1.50  |           | Wired. |      |      | G-6       |        | 42                  | 7.80   |
| 2233 |                | 5     | 14.10 | 3625      |                 | 30    | 1.80  | 5104      | Bronze |      |      | T-6       |        | 42                  | 8.25   |
| 2234 |                | 5     | 15.15 | 3630      |                 | 30    | 3.30  | 5104      | Chrome |      |      | G-8       |        | 42                  | 13.50  |
| 2235 |                | 5     | 19.05 | 3635      |                 | 30    | 3.60  | 5106E     | Bronze |      |      | T-8       |        | 42                  | 15.15  |
| 2236 |                | 5     | 19.05 | 3640      |                 | 30    | 2.25  | 5106E     | Chrome |      |      | 11        |        | 44                  | 26.25  |
| 2239 |                | 5     | 9.00  | 3645      |                 | 30    | 2.55  | 5106M     | Bronze |      |      | 17        |        | 44                  | 9.30   |
| 2700 | 19-21-24       | 1.17  |       | 3650      |                 | 30    | 1.80  | 5106M     | Chrome |      |      | 19        |        | 44                  | 14.55  |
| 2701 |                | 21    | 1.95  | 3651      |                 | 30    | 2.55  | 5108E     | Bronze |      |      | 5108M     | Bronze |                     | 2.55   |
| 2702 |                | 21    | 2.55  | 3652      |                 | 30    | 3.00  | 5108E     | Chrome |      |      | 11        |        | 44                  | 3.30   |
| 2703 |                | 21    | 4.20  | 3653      |                 | 30    | 3.45  | 5108E     | Chrome |      |      | 17        |        | 44                  |        |
| 2704 |                | 21    | 4.65  | 3655      |                 | 30    | 2.85  | 5108M     | Bronze |      |      | 19        |        | 44                  |        |
| 2705 |                | 21    | 5.55  | 4064      | Bronze          | 38-43 | .81   | 5108M     | Chrome |      |      | G-95      |        | 42                  | 21.60  |
| 2706 |                | 21    | 5.55  | 4064      | Bronze          | 38-43 | 1.02  | 5108½E    | Bronze |      |      | T-95      |        | 42                  | 21.60  |
| 2707 |                | 21    | 6.90  | 4064      | Keyless         | 38-43 |       | 5108½E    | Chr.   |      |      | G-102     |        | 42                  | 22.65  |
| 2732 |                | 21    | 2.25  | 4064      | Chrome          | 38-43 |       | 5108½M    | Bronze |      |      | G-103     |        | 42                  | 22.65  |
| 2733 |                | 21    | 2.70  | 4064      | Bare            | 38-43 | 1.20  | 5108½-912 |        |      |      | G-104     |        | 42                  | 22.65  |
| 2841 | 15             | 3.90  |       | 4064      | Chrome          | 38-43 |       | 5109      | Bronze |      |      | G-105     |        | 42                  | 22.65  |
| 2843 | 15             | 10.20 |       | 4064      | Keyless         | 38-43 | 1.38  | 5109      | Chrome |      |      | 471-D-222 |        | 44                  | 10.20  |
| 2844 | 15             | 10.20 |       | 4066      | W. E.,          |       |       | 5109½     | Bronze |      |      | 514       |        | 45                  | 37.80  |
| 2845 | 15             | 14.85 |       | 4066      | Brownstone,     |       |       | 5109½     | Chrome |      |      | 516       |        | 45                  | 65.25  |
| 2846 | 15             | 14.85 |       | 4066      | Ivory, Bare     | 43    | .45   | 5109½-910 |        |      |      | 918       |        | 44                  | 28.80  |
| 2991 | 14-25          | 4.50  |       | 4066      | W. E.,          |       |       | 5114      | Chrome |      |      | 2006      |        | 45                  | 7.20   |
| 2993 | 14             | 11.55 |       | 4066      | Brownstone,     |       |       | 5114      | Bronze |      |      | 2007      |        | 45                  | 9.00   |
| 2994 | 14             | 12.45 |       | 4066      | Ivory, Key-     |       |       | 5116E     | Bronze |      |      | 2008      |        | 45                  | 10.80  |
| 2995 | 14             | 16.50 |       | 4066      | less            | 43    | .66   | 5116E     | Chrome |      |      | 2012      |        | 45                  | 34.50  |
| 2996 | 14             | 16.50 |       | 4066      | Chr. Bare       | 43    | .75   | 5116M     | Bronze |      |      | 2014      |        | 45                  | 49.50  |
| 2999 | 14             | 7.35  |       | 4066      | Chrome          |       |       | 5124      | Bronze |      |      | 2016      |        | 45                  | 71.85  |
| 3085 | 34             | 2.70  |       | 4067      | Keyless         | 43    | .96   | 5124      | Chrome |      |      | 2026      |        | 44                  | 7.05   |
| 3090 | 34             | 3.90  |       | 4067      | Brownstone,     |       |       | 5126E     | Bronze |      |      | 2027      |        | 44                  | 7.50   |
| 3108 | W. E. Key-less | 29    | 1.65  | 4067      | W. E., Bare     | 43    | .42   | 5126E     | Chrome |      |      | 2061      |        | 44                  | 5.10   |
| 3108 | Chrome         | 29    | 1.95  | 4067      | Brownstone,     |       |       | 5126M     | Bronze |      |      | 2062      |        | 45                  | 7.05   |
| 3108 | Keyless        | 29    | 1.95  | 4067      | W. E., Key-less | 43    | .63   | 5126M     | Chrome |      |      | 2062BL    |        | 45                  | 12.45  |
| 3108 | W. E. Pull     | 29    | 1.95  | 4067-2061 | Brown-          |       |       | 5200      |        |      |      | 2090      |        | 44                  | 8.40   |
| 3108 | Chain          | 29    | 1.95  | 4067      | tone, W. E.     |       |       | 5201      |        |      |      | 2092      |        | 44                  | 23.40  |
| 3108 | Chrome         | 29    | 2.10  | 4068      | Keyless         | 24    | 1.29  | 5210      |        |      |      | 2094      |        | 44                  | 29.70  |
| 3109 | Pull Chain     | 29    | 2.85  | 4068      | Brownstone,     |       |       | 5211      |        |      |      | 2110      |        | 45                  | 20.40  |
| 3109 | W.E.Wired      | 29    | 2.85  | 4068      | W. E., Key-less | 43    | .63   | 5220E     |        |      |      | 2112      |        | 45                  | 32.40  |
| 3109 | Chrome         | 29    | 3.15  | 4068      | Brownstone,     |       |       | 5221      |        |      |      | 2114      |        | 45                  | 43.35  |
| 3121 |                | 9     | 5.25  | 4068      | W. E., Bare     | 43    | .42   | 5230M     |        |      |      | 2116      |        | 45                  | 64.50  |
| 3124 |                | 9     | 16.50 | 4070      | Bare            | 43    | .42   | 5231M     |        |      |      | 2118      |        | 44                  | 31.50  |
| 3126 |                | 9     | 23.25 | 4070      | Keyless         | 43    | .63   | 5232M     |        |      |      | 2250W     |        | 44                  |        |
| 3129 |                | 9     | 8.25  | 4071      | Bare            | 43    | .48   | 5501      |        |      |      | 2280      |        | 44                  | 8.85   |
| 3130 |                | 8     | 1.08  | 4071      | Keyless         | 43    | .69   | 5504      |        |      |      | 2290      |        | 44                  | 9.15   |
| 3131 |                | 8     | 4.80  | 4072      | Keyless         | 24    | .87   | 5506      |        |      |      | 2291      |        | 44                  | 15.60  |
| 3132 |                | 8     | 8.85  | 4072      | Pull Chain      | 24    | 1.17  | 5509      |        |      |      | 2292      |        | 44                  | 25.20  |
| 3134 |                | 8     | 13.95 | 4072      | Bare            | 24    | .69   | 6040      |        |      |      | 2294      |        | 44                  | 31.95  |
| 3136 |                | 8     | 19.50 | 4074      | Ivory           |       |       | 6041      |        |      |      | 2296      |        | 44                  | 43.50  |
| 3139 |                | 8     | 7.50  | 4074      | Keyless         | 25    | 2.25  | 6041S     |        |      |      | 2506C     |        | 45                  | 11.25  |
| 3141 |                | 17    | 3.75  | 4075-A    | W. E.           | 42    | .48   | 6042      |        |      |      | 2506W     |        | 45                  | 9.00   |
| 3143 |                | 17    | 9.45  | 4075-A    | Chrome          | 42    | .63   | 6043      |        |      |      | 2508C     |        | 45                  | 17.25  |
| 3144 |                | 17    | 10.05 | 4075-2280 | W. E.           | 42    | 1.35  | 6045      |        |      |      | 2508W     |        | 45                  | 13.50  |
| 3145 |                | 17    | 13.95 | 4075-2280 | Chr.            | 42    | 1.59  | 6051      |        |      |      | 2509      |        | 44                  | 18.00  |
| 3146 |                | 17    | 13.95 | 4076-6"   |                 | 43    | 2.40  | 6060      |        |      |      | 2510      |        | 44                  | 16.95  |
| 3149 |                | 17    | 6.30  | 4136      |                 | 43    | .135  | 6093      |        |      |      | 2511      |        | 45                  | 7.35   |
| 3200 |                | 30    | 1.35  | 4149      |                 | 40    | 15.90 | 6521      |        |      |      | 2512      |        | 45                  | 64.80  |
| 3205 |                | 30    | 1.65  | 5061      | BB Bare no      |       |       | 6522      |        |      |      | 2514      |        | 45                  | 79.35  |
| 3211 |                | 18    | 3.30  | 5061      | Cover           | 43    | .66   | 6523      |        |      |      | 2516      |        | 45                  | 100.50 |
| 3213 |                | 18    | 8.10  | 5061      | BT Bare         |       |       | 6524      |        |      |      | 2532      |        | 45                  | 39.00  |
| 3214 |                | 18    | 8.85  | 5061      | and Cover       | 43    | .84   | 6525      |        |      |      | 2534      |        | 45                  | 50.40  |
| 3215 |                | 18    | 10.50 | 5061      | W. E. Bare      |       |       | 6526      |        |      |      | 2536      |        | 45                  | 74.10  |
| 3216 |                | 18    | 11.25 | 5061      | and Cover       | 43    | .90   | 7020      |        |      |      | 2537      |        | 44                  | 7.50   |
| 3219 |                | 18    | 5.85  | 5061      | Stat. Bronze    |       |       | 7022      |        |      |      | 2539      |        | 45                  | 12.60  |
| 3401 |                | 16    | 2.70  |           | Bare and        |       |       | 7023      |        |      |      | 18347     |        | 44                  | 6.45   |
| 3403 |                | 16    | 6.90  |           | Cover           | 43    | .90   | 7025      |        |      |      |           |        |                     |        |
| 3404 |                | 16    | 6.90  | 5074      | Bronze          |       |       | 7026      |        |      |      |           |        |                     |        |
|      |                |       |       |           |                 |       |       |           |        |      |      |           |        |                     |        |

## General Information and Instructions

That we may be in a position to attend to your requirements promptly and according to your wishes, always observe and comply with the following instructions when ordering—  
SPECIFY—Quantity, Catalogue Number, Finish and other important detail. Fixtures are shipped wired unless otherwise specified.

### FINISHES

Fixtures are carried in stock only in such finishes as designated and cannot be made differently.

### SPECIALS

Designs as shown cannot be changed without increased manufacturing costs, delays in deliveries and other various reasons. We request that sales be made according to the specifications and designs as well as finishes, of all numbers represented in this catalogue.

### SHIPMENTS AND CLAIMS

Where routing is not furnished, we use our best discretion. As we employ experienced packers and exercise reasonable care, we cannot be held responsible for breakage in shipments delivered to the Carrier in good order. Our responsibility ends when we obtain the Carrier's receipt.

Damage in transit should be adjusted between the customer and the transportation company. We are always willing to give the customer all possible assistance in filing a claim, but we cannot—in any instance—assume the loss ourselves.

### SHORTAGES

All orders are checked and carefully rechecked to avoid errors. Packing slips are included with each shipment and claims must be made promptly.

### RETURN MERCHANDISE

Do not return any merchandise for credit without first obtaining our permission and shipping instructions.

### TERMS

To parties of approved credit—NET 30 Days, 2% Cash Discount if paid within 10 days from date of invoice.

We solicit new accounts on a credit basis. To facilitate prompt shipments on initial orders, please furnish us with credit references and other information pertaining to credit character. Prices subject to change without notice.

### C. O. D.

C. O. D. Shipments will be made on receipt of a substantial deposit to cover transportation charges—plus an equivalent amount.

House No. 6

at

New York World's Fair

Town of Tomorrow

is equipped with

Diamond  Fixtures

